

DECLARATION

I, Ai FUJII, of HIRAKI & ASSOCIATES, do solemnly and sincerely declare as follows:

- 1. That I am well acquainted with the English and Japanese languages and am competent to translate from Japanese into English.
- 2. That I have executed, with the best of my ability, a true and correct translation into English of Japanese Patent Application No. 040523/2001 filed on February 16, 2001, a copy of which I attach herewith.

This 6th day of December, 2005

Ai FUIII

[Name of Document] DESCRIPTION

[Title of the Invention] Full-length Genomic RNA of Papaya Leaf-Distortion Mosaic Virus

[Scope of the Claim]

[Claim 1] An RNA comprising a nucleotide sequence as shown in SEQ ID NO: 1 or a nucleotide sequence complementary to said nucleotide sequence.

[Claim 2] A DNA comprising a nucleotide sequence as shown in SEQ ID NO: 1 in which uracil is replaced by thymine, or a nucleotide sequence complementary to said nucleotide sequence.

[Claim 3] A method for diagnosing infection with papaya leaf-distortion mosaic virus in a plant, comprising determining whether the plant is infected with the virus by detecting an RNA fragment specific in the virus from the plant, wherein the RNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO: 1.

[Claim 4] A method for diagnosing infection with papaya leaf-distortion mosaic virus, wherein an RNA fragment corresponds to a part of the sequence of the nucleotides 135 - 1574 as shown in SEQ ID NO: 1.

[Claim 5] A method for producing a papaya leaf-distortion mosaic virus-resistant plant, comprising integrating a DNA fragment having a function to impart resistance against papaya leaf-distortion mosaic virus into a plant, wherein the DNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO: 1.

[Claim 6] A method for producing a foreign protein in a plant comprising the steps of:

- 1) synthesizing cDNA from genomic RNA of papaya leaf-distortion mosaic virus;
- 2) adding a nucleotide sequence encoding an amino acid sequence, which can be cleaved with a protease derived from papaya leaf-distortion mosaic virus, to the 5' terminus and the 3' terminus of a gene encoding said foreign protein to obtain a DNA fragment having the nucleotide sequence and a nucleotide sequence of the gene;
- 3) inserting the DNA fragment of 2) into the cDNA of 1);
- 4) preparing an RNA by allowing an RNA polymerase to act on the cDNA of 3); and
- 5) infecting a plant with the RNA of 4).

[Claim 7] A protein selected from the group consisting of the following

- (a) to (c):
- (a) a protein comprising an amino acid sequence as shown in SEQ ID NO: 4;
- (b) a protein comprising an amino acid sequence as shown in SEQ ID NO: 4 having deletion, substitution, or addition of one or more amino acids and having a protease activity to cleave peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly; and
- (c) a protein derived from papaya leaf-distortion mosaic virus encoded by a DNA which hybridizes to a DNA comprising a nucleotide sequence as shown in SEQ ID NO: 3 or a DNA complementary to said nucleotide sequence under stringent conditions, and having a protease activity to cleave peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly.

[Claim 8] A DNA encoding the protein of claim 7.

[Detailed Description of the Invention]

[Technical Field to Which the Invention Pertains]

The present invention relates to the full-length genomic RNA of papaya leaf-distortion mosaic virus.

[Prior Art]

A problem of a disease called papaya leaf-distortion mosaic disease has arisen in papaya plants in Subtropic areas, causing mosaic symptoms on leaves and ring spots on fruits. It has been shown that this disease is caused by infection with a papaya leaf-distortion mosaic virus (hereinafter referred to as "PLDMV"). PLDMV belonging to the genus Potyvirus of the family Potyviridae is in a string-like shape, and is approximately 800 nanometers in length. The virus is transmitted nonpersistently by aphids. Viral components include its genome consisting of RNA and periplastic proteins surrounding the RNA. The RNA genes contain nucleotide sequences encoding 10 types of proteins required for infection and replication: P1, HC-Pro, P3, 6K1, CI, 6K2, NIa-VPg, NIa-Pro, NIb and CP.

Of these 10 types of proteins encoded by PLDMV genes, only the CP region encoding a periplastic protein has been analyzed so far. No other regions have been analyzed and none of the nucleotide sequences of these regions have been reported.

[Problems to Be Solved by the Invention]

The use of the nucleotide sequence of the full-length genomic RNA

in addition to the CP region would be very useful in elucidating the functions and roles of PLDMV. Accordingly, the object of the present invention is to determine the nucleotide sequence of the full-length genomic RNA of PLDMV.

[Means to Solve the Problems]

To solve the problems, we have determined the full-length nucleotide sequence by cDNA cloning for the entire gene region of PLDMV. Then, we have completed the invention by elucidating the gene structure of regions encoding various proteins from the nucleotide sequence.

Accordingly, the first invention relates to an RNA and a DNA, each of which comprises a nucleotide sequence as shown in SEQ ID NO: 1(or a nucleotide sequence complementary to said nucleotide sequence), or a nucleotide sequence as shown in SEQ ID NO: 1 in which uracil is replaced by thymine(or a nucleotide sequence complementary to said nucleotide sequence), respectively.

The second invention relates to a method for diagnosing infection with PLDMV in a plant, comprising determining whether the plant is infected with the virus by detecting an RNA fragment specific in the virus from the plant, wherein the RNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO: 1.

The third invention relates to a method for producing a PLDMV-resistant plant, comprising integrating a DNA fragment having a function to impart resistance against PLDMV into the plant, wherein the DNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO: 1.

The fourth invention relates to a method for producing a foreign protein in a plant comprising the steps of:

- 1) synthesizing cDNA from genomic RNA of PLDMV;
- 2) adding a nucleotide sequence encoding an amino acid sequence, which can be cleaved with protease derived from PLDMV, to the 5' terminus and the 3' terminus of a gene encoding said foreign protein to obtain a DNA fragment having the nucleotide sequence and a nucleotide sequence of the gene;
- 3) inserting the DNA fragment of 2) into the cDNA of 1);
- 4) preparing an RNA by allowing an RNA polymerase to act on the cDNA of 3); and

5) infecting a plant with the RNA of 4).

The fifth invention relates to a protein selected from the group consisting of the following (a) to (c), and DNAs encoding them:

- (a) a protein comprising an amino acid sequence as shown in SEQ ID NO: 4;
- (b) a protein comprising an amino acid sequence as shown in SEQ ID NO: 4 having deletion, substitution, or addition of one or more amino acids, and having a protease activity to cleave peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly; and
- (c) a protein derived from PLDMV encoded by a DNA which hybridizes to a DNA comprising a nucleotide sequence as shown in SEQ ID NO: 3 or a DNA complementary to said nucleotide sequence under stringent conditions, and having a protease activity to cleave peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly.

[Mode for Carrying Out the Invention]

Hereinafter, the present invention will be described in detail. (1) RNA and DNA

RNA and DNA of the present invention relate to the full-length genomic RNA of papaya leaf-distortion mosaic virus ("PLDMV"), and each of them comprises a nucleotide sequence as shown in SEQ ID NO: 1 (or a nucleotide sequence complementary to said nucleotide sequences), or a nucleotide sequence as shown in SEQ ID NO: 1 in which uracil is replaced by thymine (or a nucleotide sequence complementary to said nucleotide sequences), respectively.

DNA of the invention can be obtained from a cDNA library that is synthesized from the viral RNA, or directly from the viral RNA by the RT-PCR method, using appropriate primers which is prepared based on the genetic information shown in SEQ ID NO: 1.

Alternatively, if the information is not used, the DNA of the invention can be obtained, for example, by the following method we have carried out, with modification as needed.

Firstly, viral particles are isolated and purified from leaves of PLDMV-infected Cucumis metuliferus, and then an RNA is extracted from the particles. Using the RNA as a template, cDNA is synthesized with oligo dT primers. The resulting cDNA is incorporated into a phagemide vector

pT7Blue for transformation of E.coli, and thereby obtaining a cDNA library. Then, PCR is performed using the transformed E.coli as a template so as to examine the presence or absence of inserts, and select plasmids containing the cDNA which contains PLDMV gene. Next, the cDNA obtained as described above are cloned. Using the cloned plasmids, nucleotide sequences of the cDNA can be determined by the method, such as dideoxy method. Of the obtained nucleotide sequences, a sequence closest to 5' end of the cDNA is used to prepare a primer. Repetition of the above-mentioned steps can yield a more upstream nucleotide sequence.

RNA of the present invention can be obtained by transcribing the DNA of this invention.

The DNA and RNA of the invention can be used for the diagnosis of infection with PLDMV, production of a PLDMV-resistant plant, and production of a foreign protein in a plant, as described below.

(2) Diagnosing infection with PLDMV in a plant

A method of the invention for diagnosing infection with PLDMV is a method which comprises determing whether the plant is infected with the virus by detecting an RNA fragment specific in the virus from the plant, wherein the RNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO: 1.

"an RNA fragment corresponds to a part of the nucleotide sequence as shown in SEQ ID NO: 1" as used herein means:

- ① the RNA fragment comprises a nucleotide sequence which is identical to a part of a nucleotide sequence as shown in SEQ ID NO: 1;
- ② the RNA fragment comprises a nucleotide sequence which is complementary to a part of a nucleotide sequence as shown in SEQ ID NO: 1;
- ③ the RNA fragment is that of ① or ②, having deletion, substitution, or addition of one or more nucleotides, and having species-specificity sufficient to use it as an index in diagnosing infection with PLDMV.

An RNA fragment to be detected may correspond to any region of a nucleotide sequence as shown in SEQ ID NO: 1, the RNA fragment corresponding to P1 protein-coding region with high species-specificity is preferred. The P1 protein-coding region corresponds to a part of the sequence of the nucleotides 135 - 1574 as shown in SEQ ID NO: 1.

A method for detecting an RNA fragment includes, but is not limited

to, hybridization method using a labeled DNA or RNA as a probe, and RT-PCR method.

(3) A method for producing a PLDMV-resistant plant

A method for producing a PLDMV-resistant plant of the invention comprises integrating a DNA fragment having a function to impart resistance against PLDMV into a plant, wherein the DNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO:

1.

"DNA fragment corresponds to a part of a nucleotide sequence as shown in SEQ ID NO: 1" as used herein means:

- ① the DNA fragment comprises a nucleotide sequence which is identical to a part of a nucleotide sequence as shown in SEQ ID NO: 1 in which uracil is replaced by thymine;
- ② the DNA fragment comprises a nucleotide sequence which is complementary to a part of a nucleotide sequence as shown in SEQ ID NO: 1 in which uracil is replaced by thymine; and
- ③ the DNA fragment is that of ① or ②, having deletion, substitution, or addition of one or more nucleotides, and having a function to impart resistance against PLDMV to the plant.

Tennant et al. have reported that they have succeeded in imparting virus resistance to a plant by integrating a region encoding a periplastic protein of papaya ringspot virus type P into the plant (Tennant et al., Phytopathology 84: 1359-1366, 1994). Maiti et al. have reported that they were able to impart virus resistance to a plant by integrating a region encoding a HC-Pro protein of tobacco vein mottling virus into the plant (Maiti, I.B., Murphy, J.F., Shaw, J.G., Hunt, A., 1993, Proc. Narl. Acad. Sci. USA. 90: 6110-6114). Further, Audy et al have reported that they were able to impart virus resistance to a plant by integrating a region encoding an NIb protein of potato virus Y into the plant (Audy, P., Palukaitis, P., Slack, S.A., Zaitlin, M., 1994, Molecular Plant-Microbe Inerractions 7: 15-22). Therefore, a preferable DNA fragment to be integrated into a plant corresponds to a part or whole of regions, including a capsid protein (CP) coding region, a HC-Pro coding region, and/or a NIb coding region.

A PLDMV resistant plant can be produced by integrating a DNA fragment corresponding to a part of a nucleotide sequence as shown in SEQ ID NO: 1 into a plant cell with appropriate promoter and terminator sequences, and allowing the plant cell to regenerate to a plant body. A preferable plant cell, to which the DNA fragment is introduced, is derived from a PLDMV-infectious plant, including papaya, cucumber, Cucumis melo var. conomon, and Cucumis metuliferus. Examples of a form of the plant cell include, but are not specifically limited to, cultured cells, protoplasts, callus, slices of a leaf, embryos. Examples of a promoter sequence used herein include a 35S promoter of cauliflower mosaic virus, and an alcohol dehydrogenase 1 gene promoter. Examples of a terminator sequence used herein include a NOS terminator, and an alcohol dehydrogenase 1 gene terminator. Introduction of the DNA into the plant cell can be performed by various methods known to the skilled in the art. Examples of such a method include methods which use Agrobacterium tumefaciens, Agrobacterium rhizogenes and the like, an electroporation method, a polyethylene glycol method, and a particle gun method. A method for regenerating a plant cell to a plant body may be determined depending on a type of the plant cell. For example, when a plant is papaya, a method by Fitch et al. (Fitch, M. M. M., Manshardt, R. M., Gonsalves, D., Slightom, J. L., Sanford, J. C., 1992, Biotechnology 10: 1466-1472) can be used to regenerate the plant cell to a plant body.

(4) Production of a foreign protein in a plant

A method of the invention for producing a foreign protein in a plant comprises the following steps of 1) to 5).

- 1) cDNA is synthesized from genomic RNA of PLDMV. An example of the genomic RNA of PLDMV is an RNA comprising a nucleotide sequence as shown in SEQ ID NO: 1. Alternatively, an RNA comprising a nucleotide sequence as shown in SEQ ID NO: 1, having deletion, substitution, or addition of one or more nucleotides, and having infectious ability as a virus, may be used. cDNA can be synthesized by reverse transcription using a genomic RNA as a template. Here, the full-length genomic RNA or a part of the genomic RNA may be used as a template.
- 2) A nucleotide sequence encoding an amino acid sequence which can be cleaved with a protease derived from PLDMV is added to the 5' terminus

and the 3' terminus of a gene encoding a foreign protein to be produced. Thus, the resulting DNA fragment includes both the nucleotide sequence and the gene. The gene encoding the foreign protein is not specifically limited and may be any gene. Examples of the amino acid sequence which can be cleaved with a protease derived from PLDMV include Gln-Ala, Gln-Ser, Glu-Gly, and the like. These amino acid sequences can be cleaved with NIa-Protease (hereinafter referred to as "NIa-Pro") derived from PLDMV.

- 3) The DNA fragment of 2) is inserted into the cDNA of 1). The DNA fragment of 2) may be inserted into any position between P3 region and CP region of the cDNA of 1). The gene encoding the foreign protein can be inserted with, e.g., restriction enzymes.
- 4) RNA polymerase is allowed to act on the resulting cDNA of 3), and thereby synthesizing an RNA.
 - 5) The RNA of 4) is allowed to infect a plant.

(5) A protein having a protease activity

The proteins of this invention are selected from the group consisting of the following (a) to (c):

- (a) a protein comprising an amino acid sequence as shown in SEQ ID NO: 4;
- (b) a protein comprising an amino acid sequence as shown in SEQ ID NO: 4 having deletion, substitution, or addition of one or more amino acids, and having a protease activity to cleave peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly; and
- (c) a protein derived from PLDMV encoded by a DNA which hybridizes to a DNA comprising a nucleotide sequence as shown in SEQ ID NO: 3 or a DNA complementary to said nucleotide sequence under stringent conditions, and having a protease activity to cleave peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly.

The protein of (a) is NIa-Pro (a fragment having a protease activity of NIa) which was obtained from PLDMV used in the following Example.

The protein of (b) is a protein in which mutation is introduced without decreasing or losing a protease activity of the original protein. Examples of such mutation include, but are not limited to, naturally-occurring and artificial mutations. An example of a technique to cause an artificial mutation is, but is not limited to, site-specific

mutagenesis (see, Nucleic Acids Res. 10, 6487-6500, 1982). The number of amino acids mutated is not limited, provided that it does not lose a protease activity of the protein to cleave peptide bonds between Gln-Ala, Gln-Ser and Glu-Gly. Generally, the number is within 30 amino acids, preferably within 20 amino acids, more preferably within 10 amino acids, and most preferably within 5 amino acids.

The protein of (c) is a protease derived from PLDMV which can be obtained by using a hybridization of DNAs. "Stringent conditions" used for the protein of (c) means conditions under which only specific hybridization occurs and non-specific hybridization does not occur. Such conditions are generally "1xSSC, 0.1%SDS, 37°C", preferably "0.5xSSC, 0.1%SDS, 42°C", more preferably "0.2xSSC, 0.1%SDS, 65°C". A DNA obtained by such hybridization generally shows high homology with a DNA comprising a nucleotide sequence as shown in SEQ ID NO: 3. The term "high homology" used herein means 60% or more of homology, preferably 75% or more of homology, and more preferably 90% or more of homology.

The proteins of the invention (proteins of (a) to (c)) have a protease activity to cleave peptide bonds between Gln-Ala (between Q-A), Gln-Ser (between Q-S), and Glu-Gly (between E-G). This can be presumed from the following.

The polyproteins of Potyvirus include 10 types of proteins, such as P1, HC-Pro, P3, 6K1, CI, 6K2, NIa-VPg, NIa-Pro, NIb, and CP. Of these proteins, P1 and HC-Pro has self-cleavage activity, P3 and the other proteins can be cleaved with NIa-Pro. That is, NIa-Pro has a function to recognize and cleave peptide bonds between P3-6K1, 6K1-CI, CI-6K2, 6K2 - NIa-VPg, NIa-VPg - NIa-Pro, NIa-Pro - NIb, and NIb-CP. Table 1 shows amino acid sequences at the N terminus and at the C terminus of each protein composing the polyprotein of Potyvirus. As shown in the table, for PLDMV, there are three types of commbinations of N-terminus amino acid of one protein and C-terminus amino acid of another protein: Gln and Ala (Q and A), Gln and Ser (Q and S), as well as Glu and Gly (E and G). Therefore, NIa-Pro from PLDMV is thought to cleave the peptide bonds between Gln-Ala, Gln-Ser, and Glu-Gly.

Table 1 also shows amino acid sequences at the N terminus and the C terminus of each protein composing the polyprotein of Potyviruses other than PLDMV. The cleavage sites of NIa-Pro derived from each virus

other than PLDMV, which are presumed from datas in this table, are thought to be quite different from those of NIa-Pro derived from PLDMV.

Table 1

<u>Literature in which sequences are described and</u>

Accession numbers of Gen Bank

Virus	P1 /Hcpro /P3 /6K1 /CI /6K2 /NIa-Vpg/NIa-pro/NIb /CP
PLDMV *1	M——Y/S——G/G——Q/A——Q/S——Q/S——E/G——E/G——Q/S——Q/S——Y
PVY *1	$M \longrightarrow F/S \longrightarrow G/G \longrightarrow Q/R \longrightarrow Q/S \longrightarrow Q/A \longrightarrow Q/G \longrightarrow E/A \longrightarrow Q/A \longrightarrow Q/A \longrightarrow M$
PepMoV *1	M— Y/S — G/G — Q/R — Q/S — Q/S — Q/G — E/A — Q/A — Q/S — M
TVMV *1	M——F/S——G/G——Q/A——Q/S——Q/S——Q/G——E/S——Q/G——Q/S——V
TEV *1	M—_Y/S—_G/G—_Q/A—_Q/S—_Q/S—_Q/G—_E/G—_Q/G—_Q/S—_Q
SbMV *1	M——Y/S——G/G——Q/A——Q/S——Q/S——Q/G——E/S——Q/G——Q/S——Q
PRSV *1	M
PSbMV *1	M—F/S—G/G—Q/A—Q/S—Q/S—E/G—E/A—Q/S—Q/A—M
TuMV *1	$ M \longrightarrow F/S \longrightarrow G/G \longrightarrow Q/A \longrightarrow Q/T \longrightarrow Q/S \longrightarrow E/A \longrightarrow E/S \longrightarrow Q/T \longrightarrow Q/A \longrightarrow L $
JGMV *1	M——Y/S——G/G——E/R——E/G——E/G——E/G——E/S——Q/S——I
PPV *1	M——Y/S——G/G——Q/S——Q/S——Q/G——E/S——Q/S——Q/A——V
JYMV−JI *2	M
JYMV-M *3	MF/AG/GQ/AQ/SE/AE/SQ/MQ/SV
SPFMV *4	M
RMV *5	M——Y/S——G/G——Q/A——Q/S——E/G——E/S——Q/S——E/A——L
PSV *6	M——Y/S——G/G——Q/A——Q/S——Q/G——E/S——Q/S——Q/S——Q
PVA *7	M—L/S—S/A—Q/A—Q/A—Q/S—Q/S—E/S—Q/G—Q/A—V

*1:Shukla, D.D., Ward, C.W. and Brunt, A.A. (1994). The potyviridae. CAB international, West Sussex., *2:AB016500, *3:AB027007, *4:NC 001841, *5:NC 001814, *6:NC 001723, *7:NC 001649

[Examples]

Hereinafter, the present invention will be described more specifically by use of the following examples.

[Example 1] Determination of the nucleotide sequence of PLDMV periplastic protein gene

(1) Isolation and purification of a virus

450 ml of 0.5M citrate buffer containing 0.56g of sodium sulfite (this buffer had been prepared with 0.5 M citric acid to pH 7.0) was added to 140 g of Cucumis metuliferus inoculated with PLDMV, and then ground with a blender. The homogenate was squeezed through cotton cloth. Then, carbon tetrachloride was added to the filtrate, allowing the carbon tetrachloride to be 6% of the whole filtrate. After vigorous mixing, the filtrate was centrifuged at 6,000g and 4° C for 15 min, so that the supernatant was obtained. To 500 ml of the supernatant, 37.6g of polyethylene glycol 6000, 2.92g of sodium chloride, 10ml of Triton x100 were added. The mixture was stirred at 4° C for 90 min, and then centrifuged

at 6,000g and 4° C for 15 min. To the pellet precipitated after centrifugation, 0.1M citrate buffer containing 0.01M sodium sulfite (this buffer had been prepared with 0.1M citric acid to pH 7.0 and hereinafter referred to as a CD buffer) was added for re-suspension. The mixture was centrifuged at 6,000g and 4° C for 15 min, thereby obtaining the supernatant. Next, 30ml of the supernatant was superposed over a 40% sucrose solution (prepared with CD buffer), and then centrifuged at 125,000g for 90 min. Then the pellet was resuspended with 20ml of a CD buffer, followed by centrifugation at 6,000g and 4° C for 15 min, thereby obtaining the supernatant. Subsequently, 10ml of the supernatant was layered on 2ml of a 40% sucrose solution (prepared with a CD buffer), followed by centrifugation at 125,000g for 90 min. The pellet was resuspended with 2.5ml of a CD buffer, centrifuged at 6,000g and ${}^4\text{C}$ for 15 min, thereby obtaining the supernatant. Then, the supernatant was layered on a linear density gradient of a cesium sulfate centrifugation (10-41%, Hitachi RPS40T rotor was used at 38,000rpm and 6° C for 15 hours). Thus the obtained white band of a virus fraction was collected, diluted with a CD buffer, and then centrifuged at 238,000g and 4 °C for 90min. The precipitated virus pellet was resuspended with 0.3ml of 0.01M citrate buffer (pH 7.0), thereby obtaining a purified sample of the virus.

(2) Preparation of PLDMV-RNA

RNA was extracted from the purified PLDMV above using a commercially available nucleic acid extraction kit, Sepagene (Sanko Junyaku Co., Ltd.). Extraction was performed according to the attached instructions.

(3) Construction and screening of a cDNA library

Since the viral RNA belonging to the genus Potyvirus has a poly A sequence at its 3'terminus, a double-stranded cDNA was synthesized using an oligo dT primer. A series of steps was taken with a commercially available cDNA synthesis kit (CLONTECH) according to the instructions attached to the kit. Adapter primers were linked to both ends of the synthesized cDNA. Next, PCR was performed using a downstream primer (NIb1) which is complementary to a known sequence of the NIb protein region of PLDMV, and using an upstream primer (AP1) of a sequence contained in the adapter primer. The amplified product was subjected to column

purification, and then inserted to a cloning site of a phagemide vector pT7Blue (Novagen). Column purification was performed using SizeSep400 Spum Columns (Amersham Pharmacia Biotech) according to the attached instructions. The reaction product was transferred into E.coli strain JM109.

A small amount of plasmids were rapidly prepared from the PLDMV cDNA library obtained as described above, thereby obtaining a clone (NIb-99) having an approximately 2Kb insert. The nucleotide sequence of the cDNA library was determined by the dideoxy method and analyzed with DNASIS (Hitachi Soft Engineering, Ver. 7.0).

Based on the upstream sequences of the determined nucleotide sequence, complementary primers were constructed. By repetition of the above described PCR, cloning, and sequencing, each clone (NIa-41, CI-64, 6K1-46, HC-23, and P1-40) was obtained from downstream to upstream. Further, PCR was performed using primers complementary to sequences upstream of CI-64, primers homologous to sequences upstream of HC-23, and using cDNA library as a template. Thus, a clone (P16K1-11) having an approximately 4kb insert was obtained. The upstream sequence of PLDMV genome was determined from these clones.

(4) Determination of the 5' terminal sequence

Cloning of the 5' terminal portion of PLDMV gene has been tried several times by the 5' RACE method as described above. However, no plasmid containing this sequence was obtained. Then, primer extension was performed using the clone (P1-40) obtained in (3) above as a template, suggesting that 14 bases from the 5' terminus of PLDMV were not decoded yet. To elucidate the above sequence, improvement in the RNA purification method and the cloning method were tried.

TE (10mM Tris-HCl pH 8.0, 1mM EDTA) 68 μ l, 10 μ l of 20xSSC (3M NaCl, 0.3M sodium citrate pH 7.0), 2μ l of 20%SDS, and 20 μ l of proteinase K (10mg/ml) were added to 100 μ l of the purified PLDMV, and the mixture was kept at 37°C for 60 min. Next, 100 μ l of 0.5% bentonite solution, and 200 μ l of TE saturated phenol solution were added to the mixture. Then the mixture was shaken and centrifuged with an eppendolf small type centrifuge for 3 min, thereby obtaining the aqueous layer. After repeating the phenol extraction process as described above, 200 μ l

chloroform was added to the aqueous layer. The mixture was shaken, centrifuged with an eppendolf small type centrifuge for 3 min, thereby obtaining the aqueous layer. To the thus obtained aqueous layer, 25 μ 1 of 3M sodium acetate solution (pH 5.2), and 500 μ 1 of ethanol were added. The mixture was kept at -80° C for 30 min, centrifuged with an eppendolf small type centrifuge for 10 min, thereby obtaining RNA as a precipitate. Next, 1 ml of 80% ethanol was added to the precipitate, followed by centrifugation with an eppendolf small type centrifuge for 3 min. Then, ethanol was removed, and RNA was dissolved in 100 μ l of TE. In order to further increase purity of the RNA extract, the following steps were taken. 100 μ l of 4M lithium chloride was added to the RNA solution, and then kept on ice for 4 hours, followed by centrifugation with an eppendolf small centrifuge for 10 min. 400 μ l of 80% ethanol was added to the RNA precipitate, centrifuged for 3 min with an eppendolf small type centrifuge. After ethanol was removed, the RNA was dissolved in 12.5 μ l of distilled water. Subsequently, 10 μ l of 3M sodium acetate solution (pH 5.2) and 250 μ l of ethanol were added to the mixture, kept at -80°C for 30 min, and then centrifuged for 10 min with an eppendolf small type centrifuge, thereby obtaining RNA as the precipitate. One ml of 80% ethanol was added to the RNA, centrifuged for 3 min with an eppendolf small type centrifuge. After removal of ethanol, the RNA was dissolved in 10 μ l of distilled water.

The cloning method was improved as follows. 1 μ 1 of the complementary primer (P1-4)100pM solution that had been prepared based on the sequence of the upstream portion of the clone (HC-23), 2 μ 1 of the purified PLDMV-RNA above, and 7 μ 1 of distilled water were mixed and kept at 65°C for 5 min. Next, 9.2 μ 1 of distilled water, 9.0 μ 1 of 4xRT buffer (CLONTECH), 1.6 μ 1 of 40U/ μ 1 RNase Inhibitor (CLONTECH), 3.7 μ 1 of dNTPmix (10mM each), 0.5 μ 1 of AMV Reverse Transcriptase (CLONTECH) were added to the solution, and then kept at 42°C for 30 min. Thus ssDNA was synthesized. To this solution, 1 μ 1 of 0.5M EDTA (pH 8.0) was added and mixed, and then placed on ice. Subsequently, 2 μ 1 of 6N NaOH was added to the mixture, and kept at 65°C for 30 min. After RNA was degraded, 2 μ 1 of 6N acetic acid was added to and mixed with the mixture, followed by addition of 16 μ 1 of distilled water. DNA was purified from the solution using a QIA quick PCR Purification Kit (QIAGEN). Purification

was performed according to the attached instructions.

The above ssDNA 2.5 μ l was added with 2 μ l of anchor primer (Zhi, 1996), 5 μ l of 2xSingle-stranded Ligation Buffer (CLONTECH), 0.5 μ l of $20U/\mu 1$ T4 RNA Ligase (CLONTECH), and $0.5 \mu 1$ of $50U/\mu 1$ T4 RNA Ligase (TAKARA), and then allowed to stand at 22°C overnight. Next, nested PCR was performed using this solution as a template, and a primer set (AP-B, P1-3) containing each sequence of the anchor primer and the complementary primer (P1-4) that had been used for reverse transcription reaction. Furthermore, nested PCR was performed using the reaction product as a template, and the more inward primer set (AP-C, P1-7). Then, cDNA was purified from the reaction product using a QIA quick PCR Purification Kit (QIAGEN), inserted into the cloning site of a phagemide vector pT7Blue (Novagen), thereby transferring into E.coli strain JM109. About 200 clones were selected from the cDNA library by colony PCR, thereby obtaining two clones (P1-7-6, P1-7-103) containing PLDMV 5' terminal sequences. Therefore, the 5' terminal sequence of PLDMV genome was decoded from these clones.

It was found that PLDMV genomic RNA comprised 10,155 bases, and had a poly A sequence at the 5' terminus followed by 135 bases of an untranslated region. There was an ORF starting from the initiation codon AUG at the 136th base from the 5' terminus and ending at the termination codon UAG at the 9943rd base. At the 3' terminus, there was another untranslated region comprising 208 bases following a termination codon, and a poly A sequence existed following A at the 10,155th base, as well.

A polyprotein encoded by ORF consisted of 3269 amino acids. With reference to Shukla et al. 's report (Shukla, D.D., Ward, C.W. and Brunt, A.A., 1994, The potyviridae, CAB international, West Sussex), the positions of various protein genes of PLDMV were specified. Therefore, it was shown that P1 consists of 480 amino acids, HC-Pro of 458 amino acids, P3 of 348 amino acids, 6K1 of 52 amino acids, CI of 635 amino acids, 6K2 of 52 amino acids, NIa-VPg of 187 amino acids, NIa-pro of 243 amino acids, NIb of 521 amino acids, and CP of 293 amino acids, all of which are shown in SEQ ID NOs: 1 and 2.

[Effects of the Invention]

Elucidation of various protein gene structures of PLDMV of this

invention enables detection of PLDMV gene by the RT-PCR method using the primers which are constructed based on the gene sequence. For example, there is a report that BYMV gene was detected from an infected plant by the RT-PCR method using primers that had been constructed based on the nucleotide sequence of bean yellow mosaic virus (BYMV) (Vunsh R, Rosner A, Stein A Ann Appl Biol 117: 561-569, 1990). Particularly, detection of P1 protein region with high species specificity allows highly accurate detection. For example, it has been reported that introduction of the periplastic protein gene of papaya ringspot virus type P (PRSV-P) into a papaya plant resulted in a virus-resistant plant (Tennant et al., Phytopathology 84; 1359-1366, 1994). That is, production of a PLDMV-resistant plant becomes possible by integrating the gene into the plant using genetic recombination techniques. Moreover, it has been reported that a foreign protein was produced in a plant body using an infectious clone of potato X virus or of tobacco mosaic virus as a vector (Ryabov, E.V. et al., Virology 242: 303-313, 1998). That is, insertion of a gene encoding a foreign protein into a PLDMV infectious clone allows use of the clone as an expression vector.

[Sequence Listing]

SEQUENCE LISTING

<110> Japan International Research Center for Agricultural Sciences
Tetsuo Maoka

<120> A full length genomic RNA of Papaya Leaf-Distortion Mosaic Virus

<130> P00-0955

<160> 4

<170> PatentIn Ver. 2.0

<210> 1

<211> 10155

<212> RNA

<220)>															
<22	L> CI	os														
<222	2> (1	136).	(99	942)												
<400)> 1															
aaaa	aaaua	aua a	aaaa	cucaa	ac aa	aaacı	uaug	g caa	aaaca	aauu	ucaa	auac	aca (cacui	ıaacuu	60
ucaı	uauug	gug d	caauı	ıcaaa	au ci	uugo	cauua	a auı	ıcaa	cauu	ucca	agcui	uuu a	aaaa	cgaaua	120
acad	cacad	cag a		_			_			_					a cuc	171
				et 56 1	er II	Le va	5	Le G.	ry A:	sp Pi	10 Se	er I.	te Pi	ro Le	eu	
				1			J				10					
auc	ugc	aga	acu	gag	cag	auu	gaa	ugu	guu	cgu	cuu	guu	ccu	gga	aca	219
Ile	Cys	Arg	Thr	Glu	Gln	Ile	Glu	Cys	Val	Arg	Leu	Val	Pro	Gly	Thr	
		15				20				25						
													•			
aga	guu	gaa	gaa	gug	aag	acc	auu	aaa	aag	guc	uua	aaa	aca	cac	uac	267
Arg	Val	Glu	Glu	Val	Lys	Thr	Ile	Lys	Lys	Val	Leu	Lys	Thr	His	Tyr	
	30				35				40	1						
caa	gaa	aua	acu	cuu	ggu	ugu	acu	gau	aga	ugc	gcg	ggc	cug	agc	gca	315
Gln	Glu	Ile	Thr	Leu	Gly	Cys	Thr	Asp	Arg	Cys	Ala	Gly	Leu	Ser	Ala .	
45				50				5	5			4	60			
						_		_		_	_	_	_	uua		363
Tyr	Thr	Lys			Leu	Lys	_		Ile	Lys		_	Asp	Leu	Thr	
		•	65	5			7	0				75				
aca.	11011	aac	2011	11011	11110	636	11011	aac	CIIII	202	ac a	Caa	2110	aaa	asa	113
_			-	-			-				_			gga Gly		411
лта	Ser	_	3er	Суз	THE		65 85	чту	ш с и	Arg	90	0111	TTC	GTY	GIU	
		O	, ,				55				<i>J</i> 0					

<213> Papaya Leaf-Distortion Mosaic Virus

ggu aga aaa agg gua gaa uua gca ccc auu uca guc aug gag gau guu 459

Gly	Arg	Lys	Arg	Val	Glu	Leu	Ala	Pro	Ile	Ser	Val	Met	Glu	Asp	Val	
	!	95				100				105						
gaa	acu	gug	gaa	caa	gua	cuu	guu	сса	ugu	aug	gua	gaa	gag	aag	uau	507
Glu	Thr	Val.	Glu	Gln	Val	Leu	Val	Pro	Cys	Met	Val	Glu	Glu	Lys	Tyr	
	110				115				120						_	
														•		
uau	aaq	gaa	quu	ucg	aau	uuc	cag	aag	gcu	acg	cuc	auc	gac	aaa	cca	555
Tyr	Lys	Glu	Val	Ser	Asn	Phe	Gln	Lys	Ala	Thr	Leu	Ile	Asp	Lys	Pro	
125	-			130				13					.40	_		
aag	cua	acu	aua	gcc	сса	guu	uua	aug	gca	caa	ccu	gcc	caa	gug	cca	603
Lys	Leu	Thr	Ile	Ala	Pro	Val	Leu	Met	Ala	Gln	Pro	Ala	Gln	Val	Pro	
_			145	5			15	50			-	155				
agg	CCC	gcu	guu	uuu	aau	gaa	aua	cga	aaa	guu	cau	gag	gag	aug	aag	651
Arg	Pro	Ala	Val	Phe	Asn	Glu	Ile	Arg	Lys	Val	His	Glu	Glu	Met	Lys	
		16	50			1	L65				170					
ucc	caa	acc	ucu	gaa	aac	aag	guc	uua	gaa	gag	gaa	acu	caa	ugc	gcc	699
Ser	Gln	Thr	Ser	Glu	Asn	Lys	Val	Leu	Glu	Glu	Glu	Thr	Gln	Cys	Ala	
	1	75				180				185						
agu	gau	gca	gcg	cuu	cac	cac	uua	gac	gac	guu	cau	gcg	ugu	aga	gcu	747
Ser	Asp	Ala	Ala	Leu	His	His	Leu	Asp	Asp	Val	His	Ala	Cys	Arg	Ala	
	190				195				20	0						
cga	gca	cag	gua	ggc	auu	gaa	cgc	aua	cua	gcc	aga	cau	gca	agg	cau	795
Arg	Ala	Gln	Val	Gly	Ile	Glu	Arg	Ile	Leu	Ala	Arg	His	Ala	Arg	His	
205				210)			2:	15			2	220			
aga	auc	gag	gcu	aga	cag	caa	guu	gaa	gag	gag	caa	ucg	gaa	gca	uua	843
Arg	Ile	Glu	Ala	Arg	Gln	Gln	Val	Glu	Glu	Glu	Gln	Ser	Glu	Ala	Leu	
			22	5			2	30			2	235				
aca	aca	11110	gaa	1100	11110	11110	2211	caa	acu	cac	aga	gaa	gac	aga	ນລຸນ	891

Ala	Ala	Phe	Glu	Ser	Phe	Phe	Asn	Gln	Thr	His	Arg	Glu	Asp	Arg	Tyr	
		24	0			2	245				250					
gaa	ggg	aaa	guc	uua	acc	auu	cga	aau	ggg	auc	aca	ggc	ugg	uuu	gaa	939
Ģlu	Gly	Lys	Val	Leu	Thr	Ile	Arg	Asn	Gly	Ile	Thr	Gly	Trp	Phe	Glu	
~	2	55				260				265	,					
сса	aau	agg	aau	gau	auu	aag	aac	gca	gcu	agg	cgg	agg	aag	aga	gcu	987
Pro	Asn	Arg	Asn	Asp	Ile	Lys	Asn	Ala	Ala	Arg	Arg	Arg	Lys	Arg	Ala	
	270				275				28	0						
aac	aag	aaa	auc	ccg	uuu	guu	gca	cgu	gaa	aau	gac	guc	gcg	cgg	aua	1035
Asn	Lys	Lys	Ile	Pro	Phe	Val	Ala	Arg	Glu	Asn	Asp	Val	Ala	Arg	Ile	
285	•			290)			29	95				300			
gaa	acu	cau	gaa	ccu	aac	guc	aaa	gag	gag	aca	aaa	gau	gug	gag	gaa	1083
Glu	Thr	His	Glu	Pro	Asn	Val	Lys	Glu	Glu	Thr	Lys	Asp	Val	Glu	Glu	
			30	5			3	10				315				
gca	acu	gac	aca	uac	aca	uuu	aag	aag	cag	cgc	aau	gau	aaa	aag	aga	1131
Ala	Thr	Asp	Thr	Tyr	Thr	Phe	Lys	Lys	Gln	Arg	Asn	Asp	Lys	Lys	Arg	
		32	20			3	325				330					
gug	cug	aaa	gaa	aau	gug	ucu	cuu	agu	aug	gcg	cgc	auu	aau	gaa	cuu	1179
Val	Leu	Lys	Glu	Asn	Val	Ser	Leu	Ser	Met	Ala	Arg	Ile	Asn	Glu	Leu	•
	3	35				340				345	,)					
													•			
guc	cga	ugu	guu	aca	aaa	uua	ugc	cga	aaa	gau	uca	aag	gag	cuu	gag	1227
Val	Arg	Cys	Val	Thr	Lys	Leu	Cys	Arg	Lys	Asp	Ser	Lys	Glu	Leu	Glu	
	350				355				36	0						
			•													
uuu	auc	ggc	aag	aga	gga	agu	cuu	cga	guu	caa	ugu	acu	aaa	aau	ugu	1275
Phe	Ile	Gly	Lys	Arg	Gly	Ser	Leu	Arg	Val	Gln	Cys	Thr	Lys	Asn	Cys	
365				370	0			3	75			;	380			
gau	uca	сαа	qua	aua	cua	aαa	cac	uua	cau	gga	gaa	cuu	aga	aga	aaa	1323

GIÀ	ser	Arg			Leu	AIG			Arg	сту			Arg	ALG	гуѕ	
			38	5			3	90				395				
-	_			_	_							_		gca (_	1371
Asp	Cys	Tyr	Trp	Asp	Arg	Ile	Ile	Glu	Asn	Phe	Phe	Glu	Ile	Ala	Ala	
		40	00			4	105				410					
gca	aag	cuu	cag	aau	aag	aau	cuc	aau	aac	aau	gaa	ucu	gug	agg a	aga	1419
Ala	Lys	Leu	Gln	Asn	Lys	Asn	Leu	Asn	Asn	Asn	Glu	Ser	Val	Arg	Arg	
	4	15				420				425	ò					
ggg	cac	agu	gga	cau	auc	auu	caa	uau	gau	aag	uuu	aga	ggu	uug a	agu	1467
Gly	His	Ser	Gly	His	Ile	Ile	Gln	Tyr	Asp	Lys	Phe	Arg	Gly	Leu	Ser	
	430				435				44	0						
															•	
gga	cgg	cau	uuc	gga	agu	uac	auc	auu	guu	agg	ggu	agc	aug	gau g	ggc	1515
Gly	Arg	His	Phe	Gly	Ser	Tyr	Ile	Ile	Val	Arg	Gly	Ser	Met	Asp	Gly	
445				450)			45	55				460			
aga	auu	auu	gac	gcu	cgu	uca	aag	auc	aca	cac	agc	guu	aug	auc a	aac	1563
Arg	Ile	Ile	Asp	Ala	Arg	Ser	Lys	Ile	Thr	His	Ser	Val	Met	Ile	Asn	
			46	5			4	70				475				
aug	acc	cac	uac	agu	gau	gca	ggu	uug	agu	uuu	ugg	aaa	ggu	uuu ç	gau	1611
Met	Thr	His	Tyr	Ser	Asp	Ala	Gly	Leu	Ser	Phe	Trp	Lys	Gly	Phe	Asp	
		48	30			4	185				490					
cgu	caa	uuu	auu	gac	auu	cga	gau	aga	ccu	aag	aac	gcu	cau	gag ı	ıgc	1659
_				_		_	_	_				_		Glu	_	
	4	95		_		500	_	_		505	,				_	
aaσ	acc	acu	aua	aac	quu	gag	gag	ugu	aac	gaa	aug	qca	acc	auu 🤉	gua	1707
	_													Ile		
_	510	-			515			- 1 -	52					.,		
	•								~-	-						
aac	caa	cuc	cua	uuu	cca	aug	uaa	aaa	aua	aca	ugc	acu	caa	ugu ç	gga	1755

Asn	Gln	Leu	Leu	Phe	Pro	Met	Trp	Lys	Ile	Thr	Cys	Thr	Gln	Cys Gl	7
525				530)			53	35				540		
gaa	cug	cuu	gaa	aug	uug	uca	caa	gaa	gag	gaa	cuu	gaa	ucu	uuc agg	1803
Glu	Leu	Leu	Glu	Met	Leu	Ser	Gln	Glu	Glu	Glu	Leu	Glu	Ser	Phe Arc	1
			54	5			5	50				555		-	
cqu	aaa	agg	agc	caa	uug	gca	agu	aaa	uua	ucc	agu	cuu	cau	auc aaa	1851
_														Ile Lys	
	-	56					565	_			570			-	
uuu	ccu	uac	gug	gau	cau	uuu	cuu	aau	cga	uau	gag	aau	agu	cug aau	1899
Phe	Pro	Tyr	Val	Asp	His	Phe	Leu	Asn	Arg	Tyr	Glu	Asn	Ser	Leu Asn	1
		75		•		580			_	585					
caa	aug	aac	aca	aac	uuc	gau	gcg	cac	aaa	caa	auu	qca	caa	auu auu	1947
	_					_						_		Ile Ile	
_	590				595	_			60						
aac	aqu	cac	aaa	gag	auu	ccu	uuu	uca	aau	uua	gag	cau	cuq	aau gaa	1995
	-	_											-	Asn Glu	
605			-	610					15				620		
uug	cua	auu	aaq	ucg	gau	aaa	cuu	guu	agc	gag	gau	uuc	uau	gaa aug	2043
Leu	Leu	Ile	Lys	Ser	Asp	Lys	Leu	Val	Ser	Glu	Asp	Phe	Tyr	Glu Met	<i>:</i> -
			62:		-	_		30				635	_		
ucu	caa	ugc	cuu	uua	gag	cua	aca	cgc	ugg	cau	aaa	aac	agg	agc gau	2091
														Ser Asp)
		64					545		•		650			-	
uca	uuc	aaq	aaq	gga	qaq	auu	cac	cau	uuc	cqa	aau	aaq	aug	uca ggu	2139
			_											Ser Gly	
		55	_1-2	1		660				665		_1,5		<u></u> -	
	Ŭ					,,,									
	~~~					~~~	,,,,,~	2110	11611	~~~	226		G) ) ) )	~~~ ~~~	2107

Lys	Ala	Gln	Phe	Asn	Phe	Ala	Leu	Met	Cys	Asp	Asn	Gln	Leu	Asp	Lys	
	670				675				68	0						
aau	ggu	aac	uuc	gug	ugg	ggu	gaa	aga	ggu	uau	cau	gcg	aag	agg	uuu	2235
Asn	Gly	Asn	Phe	Val	Trp	Gly	Glu	Arg	Gly	Tyr	His	Ala	Lys	Arg	Phe	
685				690	)			6	95				700			
uuc	uua	aac	uuc	uuu	gag	aaa	guu	gau	uca	acu	gac	ggu	uau	aag	aaa	2283
Phe	Leu	Asn	Phe	Phe	Glu	Lys	Val	Asp	Ser	Thr	Asp	Gly	Tyr	Lys	Lys	
			70	5			7	10				715				
cac	aua	aug	cga	guc	aac	cca	aau	ggc	aca	aga	caa	aca	gcu	aua	gga	2331
His	Ile	Met	Arg	Val	Asn	Pro	Asn	Gly	Thr	Arg	Gln	Thr	Ala	Ile	Gly	
		72	20			-	725				730					
aaa	cug	auu	uua	ucg	acg	gau	сса	ucu	acg	cua	cga	caa	caa	aug	aaa	2379
Lys	Leu	Ile	Leu	Ser	Thr	Asp	Pro	Ser	Thr	Leu	Arg	Gln	Gln	Met	Lys	
	7	35				740				745	5					
ggu	agc	сса	auc	aca	aga	guu	cca	guu	ggu	aaa	uau	ugu	aca	agc	aaa	2427
Gly	Ser	Pro	Ile	Thr	Arg	Val	Pro	Val	Gly	Lys	Tyr	Cys	Thr	Ser	Lys	
	750				755				76	0						
aga	gau	ggu	ugu	uac	guc	uau	cca	gca	ugc	ugu	guu	aca	aug	gaa	gau	2475
Arg	Asp	Gly	Cys	Tyr	Val	Tyr	Pro	Ala	Cys	Cys	Val	Thr	Met	Glu	Asp	
765				770	C			7	75	v			780			
ggu	acg	сса	uug	uuu	ucu	gau	auc	aag	aug	сса	acu	aag	aau	cau	cua	2523
Gly	Thr	Pro	Leu	Phe	Ser	Asp	Ile	Lys	Met	Pro	Thr	Lys	Asn	His	Leu	
			78	5			7	90				795				
guc	auu	gga	aau	uca	gga	gau	сса	aag	uau	gug	gau	gua	сса	agc	agc	2571
														Ser		
		. 80			_		305	-	_		810					
uca	agu	gac	aug	auu	gug	gcu	aag	gaa	ggu	uau	ugu	uau	cuc	aac	auu	2619

Ser	Ser	Asp	Met	Ile	Val	Ala	Lys	Glu	Gly	Tyr	Cys	Tyr	Leu	Asn	Ile	
	8	15				820				825	•					
uuc	uug	gca	aug	uug	cug	aau	gug	aau	gag	agu	gaa	uca	aaa	uca	uuc	2667
Phe	Leu	Ala	Met	Leu	Leu	Asn	Val	Asn	Glu	Ser	Glu	Ser	Lys	Ser	Phe	
:	830				835				84	0						
aca	aag	aag	guu	aga	gau	aua	auu	gua	ccg	cgu	cuc	ggu	caa	ugg	cca	2715
Thr	Lys	Lys	Val	Arg	Asp	Ile	Ile	Val	Pro	Arg	Leu	Gly	Gln	Trp	Pro	
845	-	-		850	_			85					860			
agc	บบล	auc	ตลม	am	gca	acu	gaa	์ นสน	uac	uuc	cua	uca	acc	uuc	cac	2763
-			_	_			_								His	
JCI	БСС	110	86		TILU	*****		70	- y -	1110		875	1114	2110	20	
			00.	J				70			,	075				
																0011
	_	acg			-	-	_		_				_			2811
Pro	Glu		_	Asn	Ala			Pro	Arg	He		Val	Asp	Hls	Thr	
		88	30			8	385				890					
uca	aaa	ugu	aug	cau	gug	auc	gau	uca	uau	ggc	ucg	cua	gac	acg	caa	2859
Ser	Lys	Cys	Met	His	Val	Ile	Asp	Ser	Tyr	Gly	Ser	Leu	Asp	Thr	Gln	
	8	95				900				905	·					
uuu	cau	guu	cug	aag	gca	aau	acu	gua	agu	cag	cua	auu	aaa	uuc	gcc	2907
Phe	His	Val	Leu	Lys	Ala	Asn	Thr	Val	Ser	Gln	Leu	Ile	Lys	Phe	Ala	
	910			-	915				92	0						
gau	aau	gac	uua	gau	uca	gag	cuq	aaa	cau	uau	uua	qua	ggu	qqa	gac	2955
															Asp	
925	11011	nop	Dou	930		014			35	-11-			940	1		
723				)),	J			٦.	55				<i>J</i> 10			
~	~~		<b></b>	~~~	~~		~~~	,,,~	1100	2112	222	11110	0110	11000	,	3003
		agc														3003
Leu	HIS	Ser	_		ATA	Pro		_	ser	тте	_		ьeu	cys	Lys	
			94	5			9	50				955				
												•				
ugu	aua	uau	agg	ccu	aaa	uug	aug	agg	caa	ugc	auu	gag	gaa	gag	ccu	3051

Cys	Ile	Tyr	Arg	Pro	Lys	Leu	Met	Arg	Gln	Cys	Ile	Glu	Glu	Glu	Pro	
		96	50			9	965				970					
uuu	uug	uug	auu	uua	gcg	ugu	auc	uca	сса	ggu	guu	uua	uua	gcu	uua	3099
Phe	Leu	Leu	Ile	Leu	Ala	Cys	Ile	Ser	Pro	Gly	Val	Leu	Leu	Ala	Leu	
	9	75				980				985	•					
uau	aau	agu	cag	cau	uua	gaa	uua	gcu	uua	aag	uac	ugg	aug	agc	aag	3147
Tyr	Asn	Ser	Gln	His	Leu	Glu	Leu	Ala	Leu	Lys	Tyr	Trp	Met	Ser	Lys	
	990				995				100	0						
caa	cag	ucu	guc	gcu	gcu	uua	uuu	gca	aug	auc	cau	gga	cua	gcu	gca	3195
Gln	Gln	Ser	Val	Ala	Ala	Leu	Phe	Ala	Met	Ile	His	Gly	Leu	Ala	Ala	
1005	5			101	0	٠		10	15			1	.020			
aaa	gua	aca	guu	gcu	caa	aca	uug	aau	gag	cag	aga	cua	aua	cuu	gaa	3243
Lys	Val	Thr	Val	Ala	Gln	Thr	Leu	Asn	Glu	Gln	Arg	Leu	Ile	Leu	Glu	
			102	5			10	30			1	1035				
cgc	ggg	gcg	cgc	aau	uug	auu	ucg	guc	aug	gaa	acc	aua	cac	aug	aca	3291
Arg	Gly	Ala	Arg	Asn	Leu	Ile	Ser	Val	Met	Glu	Thr	Ile	His	Met	Thr	
		10	40			1	045				1050					
agc	cau	uca	uac	caa	ccc	gcg	cuu	cuu	caa	cua	cag	guc	aug	gca	aau	3339
Ser	His	Ser	Tyr	Gln	Pro	Ala	Leu	Leu	Gln	Leu	Gln	Val	Met	Ala	Asn	
	10	)55				1060				106	5					
cgu	aga	gac	aug	aau	ucc	acu	cuu	gau	cuc	gcc	gga	uuc	agc	aua	uua	3387
Arg	Arg	Asp	Met	Asn	Ser	Thr	Leu	Asp	Leu	Ala	Gly	Phe	Ser	Ile	Leu	
1	070				1075	5 .			108	30						
caa	ucu	gaa	gau	agu	aug	uau	ugg	aug	gaa	aaa	agu	uau	cuc	aug	gaa	3435
Gln	Ser	Glu	Asp	Ser	Met	Tyr	Trp	Met	Glu	Lys	Ser	Tyr	Leu	Met	Glu	
1085	5			109	0			10	95			1	100			

Leu	Glu	Asp	Ser	Trp	Asn	Asp	Leu	Lys	Trp	Leu	Glu	ьуs	Leu	. Gln	Glu	
			110	5			11	10			-	l115				
aug	ugg	cga	uua	uca	aag	uac	uca	aua	ucu	ggg	aua	agu	caa	cuu	uca	3531
Met	Trp	Arg	Leu	Ser	Lys	Tyr	Ser	Ile	Ser	Gly	Ile	Ser	Gln	Leu	Ser	
		112	20			1	125				1130	)				
٠																
aug	aaa	ggc	gcu	acc	gau	uua	ggc	ggu	cga	uau	uca	gua	ucu	gca	aag	3579
Met	Lys	Gly	Ala	Thr	Asp	Leu	Gly	Gly	Arg	Tyr	Ser	Val	Ser	Ala	Lys	
	11	.35			-	1140				114	5					
cag	uuu	aua	aca	uca	gug	aug	aaa	ccu	guc	aag	aaa	ucu	ugu	gua	aaa	3627
Gln	Phe	Ile	Thr	Ser	Val	Met	Lys	Pro	Val	Lys	Lys	Ser	Cys	Val	Lys	
1	150				1155	, )			116	50						
gca	aga	gau	acu	ugu	aag	gaa	gua	auc	auc	aau	aca	aca	ucc	ugg	aca	3675
Ala	Arg	Asp	Thr	Cys	Lys	Glu	Val	Ile	Ile	Asn	Thr	Thr	Ser	Trp	Thr	
1165	5			117	0			11	75			-	1180			
uuu	cgg	gca	aca	uuu	ucu	uug	ugu	agg	ugg	ugc	uug	ccu	gau	ugu	uug	3723
Phe	Arg	Ala	Thr	Phe	Ser	Leu	Cys	Arg	Trp	Cys	Leu	Pro	Asp	Cys	Leu	
			118	5			11	90			1	L195				
aag	uuu	aua	aac	aug	cuu	aua	guu	aua	agu	uug	auu	cuc	agc	auu	ugg	3771
Lys	Phe	Ile	Asn	Met	Leu	Ile	Val	Ile	Ser	Leu	Ile	Leu	Ser	Ile	Trp	
		120	00			1	205				1210	ı				
cau	uca	gcu	aau	ucu	aua	ucg	uuc	gac	uau	gca	caa	aug	aag	aga	gaa	3819
His	Ser	Ala	Asn	Ser	Ile	Ser	Phe	Asp	Tyr	Ala	Gln	Met	Lys	Arg	Glu	
	12	215			1	L220				122	5					
aag	cag	gug	aau	auc	gag	aaa	guu	cug	aug	aau	aau	uua	gug	gcc	cuu	3867
Lys	Gln	Val	Asn	Ile	Glu	Lys	Val	Leu	Met	Asn	Asn	Leu	Val	Ala	Leu	
1	230				1235	•			124	10						
cau	aag	gag	cag	aua	aag	auc	aau	сса	gac	cug	aca	aag	gaa	gaa	uuu	3915

His	Lys	Glu	Gln	Ile	Lys	Ile	Asn	Pro	Asp	Leu	Thr	Lys	Glu	Glu	Phe	
1245	5			125	0			12	255			1	1260			
aag	gag	uac	auu	gca	aga	agu	aga	ccu	gag	cug	auu	gca	uua	guu a	aau	3963
Lys	Glu	Tyr	Ile	Ala	Arg	Ser	Arg	Pro	Glu	Leu	Ile	Ala	Leu	Val	Asn	
_			126	5			12	:70			1	275				
aaa	gaa	uug	caa	gaa	gaa	guu	gau	cau	caa	gcu	aag	cgc	aaa	ggu g	gaa	4011
Lys	Glu	Leu	Gln	Glu	Glu	Val	Asp	His	Gln	Ala	Lys	Arq	Lys	Gly	Glu	
-		128					285				1290	-	-	-		
						_					1230					
caa	aac	uug	gag	aaa	auu	aua	gca	uuu	guu	gcc	uua	guu	aug	aug a	auu	4059
Gln	Asn	Leu	Glu	Lys	Ile	Ile	Ala	Phe	Val	Ala	Leu	Val	Met	Met	Ile	
	12	295		_	-	L300				130	5					
uuu	gac	uca	gag	aaa	agu	gau	ugu	gua	uau	aag	aca	cug	aac	aaa ı	ug	4107
Phe	Asp	Ser	Glu	Lys	Ser	Asp	Cys	Val	Tyr	Lys	Thr	Leu	Asn	Lys	Leu	
	310			-	1315	_	-		132	_				-		
_																
caa	2211	CHC	ann	acc	aca	11011	can	caa	CCII	anc	aca	Call	Caa	agc ι	nia.	4155
_			_	-		_	_	_		_	-			_	_	4133
		ьеи	val			Cys	Asp			val	Ата			Ser	ьeu	
1325	)			133	U			13	35			_	L340			
								.0.								4000
_						_								gau ı		4203
Asp	Asp	Пе			He	Leu			ГÀЗ	GLu			He	Asp	Phe	
			134	5			13	50			1	.355				
gac	uua	gau	ugu	gag	ggg	agc	aaa	guu	aca	gag	uuc	aag	gag	aug a	aac	4251
Asp	Leu	Asp	Cys	Glu	Gly	Ser	Lys	Val	Thr	Glu	Phe	Lys	Glu	Met	Asn	
		130	60			1	365				1370					
uuu	gcc	gca	ugg	ugg	gaa	aaa	caa	cua	caa	ugu	gau	aga	gug	gua d	ccc	4299
Phe	Ala	Ala	Trp	Trp	Glu	Lys	Gln	Leu	Gln	Cys	Asp	Arg	Val	Val	Pro	
		375	-	_		L380				138	_	_				
0011	11011	202	300	2011	aaa	222	,,,,,,	21111	<b>~</b> ~ ~ ~	,,,,,	2011	COLL	<b>a</b> 22	200 1	1011	1217

His	Tyr	Arg	Thr	Thr	Gly	Lys	Phe	Ile	Glu	Phe	Thr	Arg	Glu	Ser	Cys	
1	390				1395	; ;			140	00						
guu	agu	gug	agu	aac	aca	aua	ucu	cau	gcc	ccu	gag	aaa	gaa	ugg	aua	4395
Val	Ser	Val	Ser	Asn	Thr	Ile	Ser	His	Ala	Pro	Glu	Lys	Glu	Trp	Ile	
1405				141					15			_	1420	-		
anc	can	aan	aan	ann	aaa	uca	gga	aaa	ווכוו	acu	aan	cua	cca	IIIIC	gcg	4443
-	_			_							-				Ala	1113
Vai	1119	CLY	142		Ory	DCI	_	30	DCI	1111	_	135 1435		1110	ma	
			142	J			14	30			د	1433				
				~~~	~~~	~	01111	2110	<b>~</b> ~	~		202	200	~~~		4401
		_			_	_		_		_			_		uug	4491
Leu	ser		_	GTÀ	Ата			мет	ьeu	GIU			Arg	Pro	Leu	
		144	40			1	445				1450					
gca	gag	aau	guc	uca	cga	cag	uug	aġa	caa	cau	CCC	uuu	uau	gca	aac	4539
Ala	Glu	Asn	Val	Ser	Arg	Gln	Leu	Arg	Gln	His	Pro	Phe	Tyr	Ala	Asn	
	14	55			-	1460				146	5					
ccc	aca	uug	aga	aug	cga	gga	aug	uca	ucu	uuu	gga	ucu	agu	aau	aua	4587
Pro	Thr	Leu	Arg	Met	Arg	Gly	Met	Ser	Ser	Phe	Gly	Ser	Ser	Asn	Ile	
1	470				1475	; ;			148	30						
ugu	aua	aug	acu	agu	gga	uuu	gcu	uuc	aau	uac	uuu	gca	aau	aau	ccu	4635
Cys	Ile	Met	Thr	Ser	Gly	Phe	Ala	Phe	Asn	Tyr	Phe	Ala	Asn	Asn	Pro	
1485	5			149	0			14	95			1	1500			
cua	aaa	uua	agu	gau	uuu	gaa	uuu	aua	aua	aua	gau	gag	uqu	cac	quc	4683
			_			_								His		
Lou	_,_	204	150	_	21.0	OLG		10			_	.515	0,0	0		
			150	J			10	10			_	.010				
CUID	<i>α</i>	200	220	ac:	211~	ac -	1112	~11~	11671	CULL	CULC	222	a 22	020	226	1701
								_						cac		4731
ьeu	ASP			нта	Met			vaı	cys	ьeu		_	GIU	His	ASN	
		152	20			1	525				1530					
uau	gau	ggc	aaa	cua	uug	aaa	gug	uca	gcc	aca	сса	cag	ggc	cgu	gaa	4779

Tyr	Asp	Gly	Lys	Leu	Leu	Lys	Val	Ser	Ala	Thr	Pro	Gln	Gly	Arg	Glu	
	15	35			1	L540				154	5					•
ນດນ	αаа	uuc	cac	aca	cag	cau	cca	auu	ucc	auu	cau	aua	aaa	gaa	caa	4827
_	_														Gln	
_		rne	1113	TIIL			110	Vai			1115	110	Olu	Olu	OIII	
Т	550				1555)			156	50						
cuu	agu	uuc	caa	gcu	uuu	ugu	gaa	gcu	caa	gga	acu	ggg	ucu	gca	cga	4875
Leu	Ser	Phe	Gln	Ala	Phe	Cys	Glu	Ala	Gln	Gly	Thr	Gly	Ser	Ala	Arg	
1565	5			157	0			15	75			:	1580			
gau	gua	auc	aau	aag	gga	gac	aac	auu	uua	gug	uau	guu	gcu	agu	uac	4923
Asp	Val	Ile	Asn	Lys	Gly	Asp	Asn	Ile	Leu	Val	Tyr	Val	Ala	Ser	Tyr	
•			158	_	_	-		90			_	L595				
2211		ann.	C 211	Cad	CHC	1102	222	2110	CHC	aas	aan	222	aac	11211	uua	4971
		_	•	_				_			_					43/1
Asn	GIU		_	GIII	Leu		_	Met	ьeu	GIY			СТУ	ıyı	Leu	
		160	00			1	605				1610)				
gug	acu	aaa	guc.	gau	ggg	cgu	acc	aug	aaa	auu	ggu	ucg	acc	gac	aua	5019
Val	Thr	Lys	Val	Asp	Gly	Arg	Thr	Met	Lys	Ile	Gly	Ser	Thr	Asp	Ile	
	16	515				1620				162	5					
guu	acu	aaa	ggg	agu	agc	cag	aag	aaa	cau	uuc	auu	gua	gca	acc	aac	5067
															Asn	
	630	3			1635			_	164							
-	000				1000				20	- •						
2112	2110	~~~	2211	~~~	~;; ~	2.611	0110	~~!!	~112	~~!!	~::::	~1111	ana	~ 2~	131313	5115
													gug			2112
		GIu	Asn			Thr	Leu			Asp	vaı			Asp	Phe	
1645	5			165	0			16	555				1660			
ggu	uug	aaa	guc	acu	gcu	gaa	auu	gau	uac	gac	aac	cgg	ugc	guu	aau	5163
Gly	Leu	Lys	Val	Thr	Ala	Glu	Ile	Asp	Tyr	Asp	Asn	Arg	Cys	Val	Asn	
			166	5			16	70			1	L675				
1120	aca	aar	acc	agg	a1111	uca	แลด	aa =	as =	cac	alla	caa	aga	ווומ	aac	5211
uuc	ucu	uuy	400	age	uuu	aca	440	994	gaa	-y-	uuu	Juu	494	~~9	220	

Tyr	Thr	Lys	Thr	Ser	Ile	Ser	Tyr	Gly	Glu	Arg	Ile	Gln	Arg	Lei	ı Gly	
		168	30			1	685				1690	1				
agg	guu	ggu	aga	cac	aag	aaa	ggg	cau	gca	aug	aga	auu	gga	acu	aca	5259
Arg	Val	Gly	Arg	His	Lys	Lys	Gly	His	Ala	Met	Arg	Ile	Gly	Thi	r Thr	
	16	95			1	1700				170	5					
auu	aaa	gga	uug	auu	gag	auu	ccu	agu	cuu	gug	gcg	aca	cag	gcu	gca	5307
Ile	Lys	Gly	Leu	Ile	Glu	Ile	Pro	Ser	Leu	Val	Ala	Thr	Gln	Ala	a Ala	
1	710				1715)			172	20						
uuu	caa	ugc	uuc	aca	uau	gga	uug	ccu	gua	aug	aca	caa	gga	guu	uca	5355
Phe	Gln	Cys	Phe	Thr	Tyr	Gly	Leu	Pro	Val	Met	Thr	Gln	Gly	Va]	l Ser	
1725	5			173	0			17	35			-	1740			
guu	aac	agu	uua	uca	aau	ugc	aca	guc	cga	cag	gcc	aga	guu	aug	ucu	5403
Val	Asn	Ser	Leu	Ser	Asn	Cys	Thr	Val	Arg	Gln	Ala	Arg	Val	Met	Ser	
			174	5			17	50			1	L755				
cgu	uuu	gag	uug	ccg	ccu	uac	uuu	aug	gcu	uca	cuu	gua	uau	cau	gau	5451
Arg	Phe	Glu	Leu	Pro	Pro	Tyr	Phe	Met	Ala	Ser	Leu	Val	Tyr	His	s Asp	
		17	60			1	765				1770)				
ggc	agc	aug	cac	ccu	gaa	auu	cac	aag	cau	uua	auu	ccu	uac	aag	uua	5499
Gly	Ser	Met	His	Pro	Glu	Ile	His	Lys	His	Leu	Ile	Pro	Tyr	Lys	s Leu	
	17	75			-	1780				178	5					
gau	gaa	ucu	gaa	auu	caa	cuu	agu	gcc	aug	gcu	uuu	aac	uuu	acc	gua	5547
Asp	Glu	Ser	Glu	Ile	Gln	Leu	Ser	Ala	Met	Ala	Phe	Asn	Phe	Thi	c Val	
1	790				1795	5			180	00						
aca	ucu	auu	ugg	cua	gau	ugu	aaa	uuu	uau	gac	agu	aua	gga	auc	cau	5595
Thr	Ser	Ile	Trp	Leu	Asp	Cys	Lys	Phe	Tyr	Asp	Ser	Ile	Gly	Ile	e His	
1805	5			181	0			18	315				1820			
CIIII	ตลม	ເມເລ	cca	cac	gaa	aca	aaa	auu	cca	ווווכ	cau	ມດນ	aga	gaa	uuc	5643

Leu	Asp	Leu	Pro	Arg	Glu	Ala	Lys	Ile	Pro	Phe	His	Cys	Arg	Glu	Phe	
			182	5			18	30			1	L835				
сса	gau	aug	aaa	uac	cga	cac	uug	ugg	gaa	gau	auu	cuc	aaa	auc	aag	5691
Pro	Asp	Met	Lys	Tyr	Arg	His	Leu	Trp	Glu	Asp	Ile	Leu	Lys	Ile	Lys	
		184	40			1	845				1850					
agc	aua	aau	ugu	uuu	ggu	aga	aug	agu	guu	guu	agc	gca	aca	aaa	gua	5739
Ser	Ile	Asn	Cys	Phe	Gly	Arg	Met	Ser	Val	Val	Ser	Ala	Thr	Lys	Val	
	18	355			1	1860				186	5					
gca	uau	aca	cuu	aaa	aca	gac	auu	cau	uca	auu	gga	aaa	acu	cuc	gga	5787
Ala	Tyr	Thr	Leu	Lys	Thr	Asp	Ile	His	Ser	Ile	Gly	Lys	Thr	Leu	Gly	
1	870				1875	<u>;</u>			188	30						
uau	auu	gac	gcc	cuc	uug	caa	gaa	gaa	uau	aga	aaa	cag	cau	cau	uuu	5835
Tyr	Ile	Asp	Ala	Leu	Leu	Gln	Glu	Glu	Tyr	Arg	Lys	Gln	His	His	Phe	
1885	5			189	0			18	95			1	L900			
aaa	gca	aug	aca	agu	aac	gca	ugu	agu	ggg	aac	acu	uuu	uca	aug	cua	5883
Lys	Ala	Met	Thr	Ser	Asn	Ala	Cys	Ser	Gly	Asn	Thr	Phe	Ser	Met	Leu	
			190	5			19	10			1	915				
agc	aua	gca	aau	gca	aua	cgg	aac	cac	uau	gcu	aag	gac	uac	acu	gcu	5931
Ser	Ile	Ala	Asn	Ala	Ile	Arg	Asn	His	Tyr	Ala	Lys	Asp	Tyr	Thr	Ala	
		192	20			1	925				1930					
ggc	aau	auu	cag	aaa	uug	cag	gca	gca	aag	aau	caa	aua	cug	gaa	uuc	5979
Gly	Asn	Ile	Gln	Lys	Leu	Gln	Ala	Ala	Lys	Asn	Gln	Ile	Leu	Glu	Phe	
	19	35			-	1940				194	5					
guc	aau	uua	aau	cuu	gau	ccu	ucg	gcg	aaa	ugc	gga	uuc	caa	gag	uuc	6027
Val	Asn	Leu	Asn	Leu	Asp	Pro	Ser	Ala	Lys	Cys	Gly	Phe	Gln	Glu	Phe	
1	950				1955	;			196	50						
ana	acn	בווו	asa	CHE	ann	acc	Call	cad	adc	add	caa	gaa	allli	uca	aaa	6075

Gly	Ala	Leu	Glu	Leu	Val	Thr	His	Gln	Ser	Arg	Gln	Glu	Ile	Ser	Lys	
1969	5			197	0			19	75]	1980			
uuu	cua	aau	cug	aga	ggu	aag	ugg	aau	aag	uca	cua	auu	aca	cgu	gau	6123
Phe	Leu	Asn	Leu	Arg	Gly	Lys	Trp	Asn	Lys	Ser	Leu	Ile	Thr	Arg	Asp	
			198	_	-	_	_	90	_			995		_	-	
auc	uua	guu	uug	uua	ggu	guc	acu	auu	ggu	ggu	uuc	ugg	aug	aua	ugg	6171
														Ile		
		200			2		005		_	_	2010	_			1	
		20				_										
gau	aag	uuc	aaa	uca	aac	auu	gaa	gaa	guu	cau	cau	gaa	gga	aag	agg	6219
Asp	Lys	Phe	Lys	Ser	Asn	Ile	Glu	Glu	Val	His	His	Glu	Gly	Lys	Arg	
-	_	15	-			2020				202			-	-	_	
aag	acu	caa	aag	cuu	aaa	uuu	cgg	gau	gcu	cgc	gau	aag	aaa	aug	ggu	6267
														Met		
	030		-		2035		,	_	204		-	.	4		_	
_																
cga	gaa	gua	uau	gga	gac	gac	ggu	acu	auu	gaa	cau	uac	uuu	gga	ucq	6315
														Gly		
2045			•	205	_	•			55				2060	-		
gca	uac	guc	aag	aga	ggu	gca	guu	aag	ggc	cag	aag	aga	gga	aug	ggc	6363
Ala	Tyr	Val	Lys	Arg	Gly	Ala	Val	Lys	Gly	Gln	Lys	Arg	Gly	Met	Gly	
			206					70				2075				
gaa	aaa	uca	aga	cgu	uuc	guu	agu	aug	uau	gga	guu	aau	uua	gaa	gau	6411
Glu	Lys	Ser	Arg	Arg	Phe	Val	Ser	Met	Tyr	Gly	Val	Asn	Leu	Glu	Asp	
		208	30			2	085				2090					
uuu	gcu	uuu	auu	aga	uac	aua	gau	ccc	aua	acu	gga	gca	acg	cgu	gau	6459
Phe	Ala	Phe	Ile	Arg	Tyr	Ile	Asp	Pro	Ile	Thr	Gly	Ala	Thr	Arg	Asp	
		95			_	2100	_			210	_		•		-	
~~~	2011	2011		202	~	~~	~		ana	C22	~~			<b>a</b> aa	~~~	6507

Glu	Ser	Pro	Leu	Thr	Asp	Val	Glu	Leu	Val	Gln	Ala	His	Phe	Gly	Glu	
2	110				2115	<u>.</u>			212	20					•	
auc	aga	gac	aaa	aug	cua	gac	gag	ggc	cuc	auc	gau	agg	caa	cac	auc	6555
Ile	Arg	Asp	Lys	Met	Leu	Asp	Glu	Gly	Leu	Ile	Asp	Arg	Gln	His	Ile	
2125	_	•	2	213		•		_	.35		•	_	2140			
บบล	aau	aaa	cca	aan	וווומ	aca	aca	uac	บบล	ann	aan	aac	aaa	ann	aaq	6603
					_		_			_	_	-		-	Lys	0005
Бец	ASII	пуз	214	_	ьеu	1111		.50	цец	vai	_	755 2155	СТУ	vaı	. шуѕ	
			214	5			21	.50			2	2133				
																6651
		_		_	_	_								aua	_	6651
Ser	lle		-	Val	Asp			Pro	His	Asn			Leu	Ile	Cys	
		210	60			2	165				2170	l				
aaa	aac	aaa	gcg	aca	aua	gca	ggg	uuu	ccu	gag	aag	gag	uuu	guu	uug	6699
Lys	Asn	Lys	Ala	Thr	Ile	Ala	Gly	Phe	Pro	Glu	Lys	Glu	Phe	Val	Leu	
	21	.75			2	2180				218	5					
cga	caa	acg	gac	aaa	gca	uau	gaa	gua	agu	aga	gag	gaa	cua	cca	gaa	6747
Arg	Gln	Thr	Asp	Lys	Ala	Tyr	Glu	Val	Ser	Arg	Glu	Glu	Leu	Pro	Glu	
2	190				2195	<b>,</b>			220	00						
cgg	aau	gaa	gac	guu	ucu	uuu	gaa	gga	gcc	uca	agu	gug	aag	gga	uug	6795
Arg	Asn	Glu	Asp	Val	Ser	Phe	Glu	Gly	Ala	Ser	Ser	Val	Lys	Gly	Leu	
2205			_	221				_	15				2220	-		
cac	gau	uac	aau	aau	gua	acc	agc	acu	auu	uac	caa	CUC	aca	aac	aac	6843
														Asn		0015
my	7150	- y -	222	_	Vai	7114		30	110	СуБ		2235	1111	ASII	ASII	
			222	J			22	30			2	.233				
											-			uca		6891
Ser	Asn		_	Ser	Thr			Tyr	Gly				Gly	Ser	Tyr	
		224	40			2:	245				2250					
																•
auc	aua	guu	aau	agg	cac	uug	uuu	aaa	gaa	aau	aau	ggg	aau	uua	uug	6939

ıle	ITe	val	Asn	Arg	His	Leu	Phe	Lys	GLu	Asn	Asn	GLy	Asr	ı Lei	u Leu	
	22	255			2	2260				226	5					
auc	aaa	ucg	acg	cau	gga	aau	uuc	aau	auc	agg	aac	ucc	aag	caa	auu	6987
Ile	Lys	Ser	Thr	His	Gly	Asn	Phe	Asn	Ile	Arg	Asn	Ser	Lys	Glı	n Ile	
	- 270				2275				228	_			-			
aaa	anc	anc	gga	ana	gag	ตลม	agg	gau	auu	acc.	auu	CHH	caa	aud	ccu	7035
														_	t Pro	, 033
2285		Val	OLY	229		mp	1119	_	95	7114	110		2300	1 140		
2200	,			223	U		•	22	.93			4	2300			
															_ 0	7000
	_					-	_			_		_			aua	7083
Lys	Asp	Pne			Pne	Ala		_	Leu	Arg		_	Asr	1 Pro	o Ile	
			230	5			23	10			2	2315				
gug	ggu	gaa	uca	auu	ugu	cuu	guu	gga	aau	acg	uuc	caa	gaa	aag	uac	7131
Val	Gly	Gľu	Ser	Ile	Cys	Leu	Val	Gly	Asn	Thr	Phe	Gln	Glu	ı Lys	s Tyr	
		232	20			2	325				2330					
aau	gca	agc	auc	guu	ucu	gag	aca	agc	aaa	aca	uuc	сса	cga	guu	gaa	7179
Asn	Ala	Ser	Ile	Val	Ser	Glu	Thr	Ser	Lys	Thr	Phe	Pro	Arg	y Val	l Glu	
	23	335			2	2340				234	5					
ggu	agu	uuu	ugg	aaa	cau	ugg	auu	aau	aca	acg	gaa	gga	cau	ugu	gga	7227
Gly	Ser	Phe	Trp	Lys	His	Trp	Ile	Asn	Thr	Thr	Glu	Gly	His	Cys	s Gly	
_	350		•	•	2355	-			236			_		-4	_	
ma	CCII	เมเล	ann	agu	anc	acu	์ตลม	aaa	111111	auu	ดเบล	aaa	alla	cau	agu	7275
															s Ser	7275
		пец	val			1111	дор	_		116	vaı	_		1112	s ser	
2365	)			237	U			23	75			4	2380			
				_		_					_			_	gac	7323
Leu	Met	Ser	His	Lys	Tyr	Asp	His	Asn	Tyr	Phe	Ser	Asn	Phe	: Asp	Asp	٠
			238	5			23	90			2	395				
gcg	uuu	gaa	ggc	gau	uau	auu	aac	aag	uug	aag	gaa	cug	aaa	ugg	gag	7371

Ата	Pne		_	Asp	Tyr			ьys	ьеu	ьуѕ			гуѕ	rrp	GIU	
		240	00			2	405				2410					
cag	aau	ugg	acu	uac	aac	guu	aau	acu	guu	agu	ugg	ggc	aac	aug	aaa	7419
Gln	Asn	Trp	Thr	Tyr	Asn	Val	Asn	Thr	Val	Ser	Trp	Gly	Asn	Met	Lys	
	24	15			2	2420				242	5					
cuu	cag	gau	agu	gcu	сса	ugc	aaa	gaa	uuc	aaa	aca	acu	aag	uug	auu	7467
Leu	Gln	Asp	Ser	Ala	Pro	Cys	Lys	Glu	Phe	Lys	Thr	Thr	Lys	Leu	Ile	
2	430				2435	·			244	10						
agc	gac	uua	ugc	acg	gaa	ccu	gug	ugc	gcu	cag	agu	agc	aau	caa	guu	7515
Ser	Asp	Leu	Cys	Thr	Glu	Pro	Val	Cys	Ala	Gln	Ser	Ser	Asn	Gln	Val	
2445	_		-	245				=	55				2460			
														•		
aσa	uaa	uua	uau	aau	caq	cuu	gaa	gga	aau	uug	aaa	aca	quu	qca	acu	7563
															Thr	
9			246					70				2475				
			210	J				, 0			_					
ลบบ	CCC	aau	aac	uuu	auu	aca	aag	cac	auu	aua	aaa	aga	cga	ugu	aaa	7611
					_		Lys						-	-		
		248		21.0	, 42		485				2490	_	5	-1-	-1~	
		230	30			_	100				2150					
เมนต	111111	gaa	າກາດ	บลน	cua	caa	acu	cau	agu	αaa	aca	aau	gag	uuc	uuu	7659
-		_	_		-		Thr									
деа		195	Loa	- 1 -		2500		9	002	250			0_0		2110	
					•	2000				200	•					
aaa	cca	CHa	aug	aan	UUC	เมลเม	aaa	aaα	agc	aau	CUC	aac	aaσ	gaa	gca	7707
		_					Gly									
-	510	Dea	1100	Gry	2515	_	O _T y	270	252	_	200	11011	2,0	01.0	1110	
۷	310				2310	,			202	2.0						
										~	21			~ ~ ~	~~~	7755
		_	_				uac								_	7755
-		Lys	Asp			ГÀЗ	Tyr			GLu	тте			GTA	Glu	
2525	5			253	0			25	35			2	2540			
anc	aac	acu	aaa	arra	111111	caa	Call	aca	am	aaa	caa	anc	auc	gaa	auu	7803

Val	Asp	Thr	Glu	Arg	Phe	Glu	Asp	Ala	Val	Gly	Gln	Val	Ile	Glu	Ile	
			254	5			25	50			2	2555				
aug	aug	caa	ugg	aac	uuu	agg	gaa	ugc	aag	uau	auc	acc	gau	ugu	gac	7851
Met	Met	Gln	Trp	Asn	Phe	Arg	Glu	Cys	Lys	Tyr	Ile	Thr	Asp	Cys	Asp	
		25	60			2	565				2570					
cag	auc	uuu	gaa	uca	uug	aac	aug	aaa	gcg	gca	guc	ggu	gcg	uug	uac	7899
Gln	Ile	Phe	Glu	Ser	Leu	Asn	Met	Lys	Ala	Ala	Val	Gly	Ala	Leu	Tyr	
	25	75			2	2580				258	5					
agu	ggu	aag	aaa	aag	gcg	uac	uuc	gaa	aau	ucc	aca	uuu	gau	gau	cga	7947
Ser	Gly	Lys	Lys	Lys	Ala	Tyr	Phe	Glu	Asn	Ser	Thr	Phe	Asp	Asp	Arg	
2	590				2595	)			260	00						
aau	cau	uug	cua	cag	cuu	agu	ugu	cuc	cga	uua	uuc	aag	ggu	gau	uug	7995
Asn	His	Leu	Leu	Gln	Leu	Ser	Cys	Leu	Arg	Leu	Phe	Lys	Gly	Asp	Leu	
2605	5			261	0			26	515			2	2620			
gga	auu	ugg	aau	gga	agu	cuu	aaa	gcu	gaa	uua	aga	сса	auu	gaa	aag	8043
Gly	Ile	Trp	Asn	Gly	Ser	Leu	Lys	Ala	Glu	Leu	Arg	Pro	Ile	Glu	Lys	
			262	5			26	30			2	635				
guu	gaa	gca	aac	aaa	acg	cga	aca	uuc	aca	gca	gcu	сса	auu	gaa	acu	8091
Val	Glu	Ala	Asn	Lys	Thr	Arg	Thr	Phe	Thr	Ala	Ala	Pro	Ile	Glu	Thr	
		26	40			2	645				2650					
uua	cuu	ggc	gga	aag	guu	ugc	guc	gau	gau	uuc	aac	aac	caa	uuu	uau	8139
Leu	Leu	Gly	Gly	Lys	Val	Cys	Val	Asp	Asp	Phe	Asn	Asn	Gln	Phe	Tyr	
	26	555			2	2660				266	5					
gau	cuu	aau	aug	aaa	ugc	сса	ugg	aca	guc	ggg	aug	acu	aag	uuu	uau	8187
Asp	Leu	Asn	Met	Lys	Cys	Pro	Trp	Thr	Val	Gly	Met	Thr	Lys	Phe	Tyr	
2	670				2675	5			268	30						
ugc	gga	uaa	aau	gau	cuu	cua	aau	aaa	cuu	ccu	gau	aau	uaa	aua	uac	8235

Cys	Gly	Trp	Asn	Asp	Leu	Leu	Gly	Lys	Leu	Pro	Asp	Gly	Trp	Ile	e Tyr	
2685	5			269	0 .			26	95			2	2700			
cgc	gau	gcu	gac	gga	uca	cga	uuu	gac	agu	ucu	cuu	aca	сса	uac	uug	8283
Arq	Asp	Ala	Asp	Gly	Ser	Arg	Phe	Asp	Ser	Ser	Leu	Thr	Pro	Tyr	Leu	
	-		270	_			27	_				2715		_		
				-												
cua	aau	gca	ana	CUC	aaa	auu	agg	gag	131313	uuc	aug	gaa	ตลม	เมตต	gac	8331
_		_	-												) Asp	0001
пси	71011	272		БСС	Cry		725	Olu	1110		2730		7100		711010	
		212	20			۷	125				2750	'		•		
ລນລ	aac	ana	cad	ລາາຕ	CHILL	cas	2211	וווומ	cac	acu	caa	2112	allli	1120	acc	8379
			_	_		_		_							Thr	0373
TTE	_		GIII	Mec		_	ASII	ьeu	птэ			TTE	116	тут	_ 111L	
	21	'35			2	2740				274.	5					
															aau	8427
Pro	Ile	Ala	Thr	Pro	Asp	Gly	Thr	Val	Val	Lys	Lys	Phe	Arg	Gl۶	y Asn	
2	750				2755	•			276	50						
aau	agu	ggu	caa	ccg	uca	aca	guc	gua	gau	aac	aca	uug	aug	guc	ugu	8475
Asn	Ser	Gly	Gln	Pro	Ser	Thr	Val	Val	Asp	Asn	Thr	Leu	Met	Val	Cys	
2765	5			277	o .			27	75			2	2780			
auu	ugu	gug	cag	uau	agu	uua	auu	aug	aau	agu	gua	aag	uuu	gag	aau	8523
Ile	Cys	Val	Gln	Tyr	Ser	Leu	Ile	Met	Asn	Ser	Val	Lys	Phe	Glu	ı Asn	
	_		278	5			27	90			2	795				
												,				
cag	gau	gau	guc	ugc	agg	uau	uuc	guu	aac	ggu	gau	gau	uua	uug	cuu	8571
_	_	_	_	_							_	_		_	ı Leu	
		280		2			805				2810					
		20.				_										
gca	auc	aan	cca	aaa	111111	ลแล	cac	auc	cua	gau	ucu	111111	aaa	am	cau	8619
_										-				_	His	
a		315	.10	цуз		2820	1113	110	<u> </u>	2825		1110	цуз	vaı	. 1113	
	۷. ۵	,10			2	2020				202.	J					
																0.665
uuu	gcu	aau	uua	ggu	uua	gac	uac	gau	uuc	ucu	cau	cga	acg	aaa	gac	8667

	A1a 830	Asn	Leu	GLy	Leu 2835		Tyr	Asp	Phe 284		His	Arg	Thr	Lys	s Asp	
۷	030				2033	)			204	10						
															gac n Asp	8715
_	_	Giu	neu	_		Mec	Ser		ъуз 855	GTĀ	vai	_	деи 2860	MSI	i Asp	
2845	)			285	U			20	333							
aug	uau	auu	сса	aag	cug	gag	сса	gag	agg	guu	guc	uca	aua	cuu	gag	8763
Met	Tyr	Ile	Pro	Lys	Leu	Glu	Pro	Glu	Arg	Val	Val	Ser	Ile	Lei	ı Glu	
			286	5			28	70			2	2875				
ווממ	Call		ລຕາາ	ans	222	cca	ass	CaC	ara	11112	aen.	aca	21111	uge	gcu	8811
	-	_	_	_			_		_		_			-	s Ala	0011
115	riop	288		vai	2,0		885	1110	1119	Lou	2890		110	- Cyt	J 1114	
		20.				_					2030					
ucg	aug	auu	gaa	gca	ugg	ggu	uac	ccu	agg	uua	auc	cac	gaa	auu	cga.	8859
Ser	Met	Ile	Glu	Ala	Trp	Gly	Tyr	Pro	Arg	Leu	Ile	His	Glu	Ile	e Arg	
	28	95			2	2900				290	5					
															gca	8907
_		Tyr	Ala	Trp			Glu	Gln			Tyr	Asn	His	Leu	ı Ala	
2	910				2915	)			292	20						
ucu	gag	gga	aag	gca	сса	uac	auu	ucg	gaa	aca	gcg	cuc	aaa	aga	cuu	8955
Ser	Glu	Gly	Lys	Ala	Pro	Tyr	Ile	Ser	Glu	Thr	Ala	Leu	Lys	Arc	j Leu	
2925	5			293	0			. 29	35			2	2940			
																0000
			_	_		_	_				, -				gag	9003
TÀT	IIII	Cys	294		GTÀ	Ser			GIU	тте			Tyr	тес	ı Glu	
			294	5			29	50			2	2955				
aug	ugu	gca	agu	gau	uug	aac	gag	gau	gag	uac	uuu	gau	gau	gaa	gau	9051
Met	Cys	Ala	Ser	Asp	Leu	Asn	Glu	Asp	Glu	Tyr	Phe	Asp	Asp	Glu	ı Asp	
		290	60			2	965				2970					
ann	ucu	cac	cad	UCC	acu	CHIL	ตลม	acu	aac	aaa	CCC	aca	aca	gaa	aac	9099

Val	Ser	His	Gln	Ser	Ala	Leu	Asp	Ala	Gly	Lys	Pro	Thr	Ala	Glu	ı Asn		
2975					2	2980				298	5						
						•											
aaq	aaa	gac	gau	gaa	gag	aga	aaq	aau	aaa	gaa	qaa	aaq	caq	gaa	aau	9147	
_		_	_	_		_	_						_	_	ı Asn		
_	990				2995	_	-1-		300			-1-		. 00			
۷	<i>J J U</i>				2330	,			500	50							
						guc								_		9195	
_		Lys	Asn	_		Val	Glu	_	_	His	Glu	_		Ser	Asn		
3005	5			301	0			30	15			3	3020				
									•								
agc	gca	ucu	ggu	gcu	auu	guu	uca	aac	aac	gaa	aaa	gac	aag	gau	guc	9243	
Ser	Ala	Ser	Gly	Ala	Ile	Val	Ser	Asn	Asn	Glu	Lys	Asp	Lys	Asp	Val		
			302	5			30	30			3						
gau	gua	gga	uca	agu	gga	ucu	uuc	auc	aua	сса	cga	auu	aaa	uca	aua	9291	
_	_			_							_			_	Ile	3231	
пор	Val	_		001	O±y		045	110	110		3050		Lyo		110		
3040						J.	043				3030						
																0000	
					=	cca										9339	
Ser		_	Leu	Thr	Met	Pro	Lys	Val	Lys		_	Gly	Ile	Leu	Asn		
	30	)55			3	3060				306	5						
										•							
uug	gag	uuc	cuu	uua	caa.	uac	aca	cca	gau	caa	gug	gac	auu	uca	aau	9387	
Leu	Glu	Phe	Leu	Leu	Gln	Tyr	Thr	Pro	Asp	Gln	Val	Asp	Ile	Ser	Asn		
3	070				3075	)			308	30							
acc	agg	qca	agu	auu	uca	cag	uuu	aau	aca	ugg	uac	aac	qcu	gua	aaσ	9435	
						_							_		Lys		
3085			001	309		0111	11.0		95	110	- 1 -		3100	• • • • • • • • • • • • • • • • • • • •	шуо		
309					O			50	93								
						gau	-						-			9483	
Glu	Ser	Tyr	Gly	Val	Ser	Asp			Met	Gly	Ile	Ile	Leu	Asn	Gly		
			310	5			31	10			3						
uua	aug	guu	ugg	ugu	auu	gaa	aau	gga	aca	ucu	cca	aac	auu	aau	ggc	9531	

Leu	Met	Val	Trp	Cys	Ile	Glu	Asn	Gly	Thr	Ser	Pro	Asn	Ile	Asn	Gly	
•	3120					3	125				3130					
aug	ugg	uuu	aug	aug	caa	ggg	gaa	gaa	caa	auc	gaa	uac	CCC	cuu d	caa	9579
Met	Trp	Phe	Met	Met	Gln	Gly	Glu	Glu	Gln	Ile	Glu	Tyr	Pro	Leu	Gln	
	31	.35			3	3140				314	5	_				
сса	aua	gug	gaa	aac	gca	aaa	ccc	acu	uug	cgu	cag	auu	aug	gcu (	cac	9627
Pro	Ile	Val	Glu	Asn	Ala	Lys	Pro	Thr	Leu	Arg	Gln	Ile	Met	Ala	His	
3	150				3155	<u> </u>			316	50						
uuu	agc	aau	guu	gcu	gaa	gca	uac	auc	gaa	aag	aga	aau	uau	gag a	aag	9675
Phe	Ser	Asn	Val	Ala	Glu	Ala	Tyr	Ile	Glu	Lys	Arg	Asn	Tyr	Glu	Lys	
3165	5			317	0			31	.75			3	3180			
сса	uau	aug	ccg	agg	uac	ggu	auu	caa	cgg	aac	cuc	acc	gac	aug a	agu	9723
Pro	Tyr	Met	Pro	Arg	Tyr	Gly	Ile	Gln	Arg	Asn	Leu	Thr	Asp	Met	Ser	
	_		318	5			31	90			3	3195				
uug	gcg	cga	uau	gcu	uuu	gau	uuc	uau	gaa	aug	aca	uca	agg	acg o	cca	9771
Leu	Ala	Arg	Tyr	Ala	Phe	Asp	Phe	Tyr	Glu	Met	Thr	Ser	Arg	Thr	Pro	
		320	00			3:	205				3210					
gcu	cgg	gcc	cgg	gaa	gcc	cac	auc	cag	aug	aaa	gcu	gca	gca	uug d	cga	9819
Ala	Arg	Ala	Arg	Glu	Ala	His	Ile	Gln	Met	Lys	Ala	Ala	Ala	Leu	Arg	
	32	215				3220				322	5					
gau	gcg	aau	aau	aag	aug	uuu	gga	cug	gau	gga	aaa	guc	gga	aau q	gcg	9867
Asp	Ala	Asn	Asn	Lys	Met	Phe	Gly	Leu	Asp	Gly	Lys	Val	Gly	Asn	Ala	
3	230				3235	<u>,</u>			324	40						
acu	gag	aac	acg	gag	cgc	cac	acc	gca	gac	gau	guu	aac	cau	aac a	acu	9915
Thr	Glu	Asn	Thr	Glu	Arg	His	Thr	Ala	Asp	Asp	Val	Asn	His	Asn	Thr	
3245	5			325	0			32	:55			3	3260			
cau	gca	uuc	acc	ggc	guu	cga	uau	uau	uag	auau	uua	ccua	agca	ua		9962

His Ala Phe Thr Gly Val Arg Tyr Tyr 3265

guuuuaucua guaucuuuua aaucgcauua gcuuuacuuu cuagcacgcg uuagugaggu 10022
uuuaccuccu auuaucuaug ugucagugag gguagcccuc gugugaucuc uuagaaagua 10082
uugucccaag cugcaguggc ugguuguuca uagcaugagu ggcucaugga ccuucagccu 10142
aagcaaggag gga

<210> 2

<211> 3269

<212> PRT

<213> Papaya Leaf-Distortion Mosaic Virus

<400> 2

Met Ser Ile Val Ile Gly Asp Phe Ser Ile Pro Leu Ile Cys Arg Thr
1 5 10 15

Glu Gln Ile Glu Cys Val Arg Leu Val Pro Glý Thr Arg Val Glu Glu
20 25 30

Val Lys Thr Ile Lys Lys Val Leu Lys Thr His Tyr Gln Glu Ile Thr 35 40 45

Leu Gly Cys Thr Asp Arg Cys Ala Gly Leu Ser Ala Tyr Thr Lys Thr 50 55 60

Ser Leu Lys Arg Ala Ile Lys Glu Lys Asp Leu Thr Ala Ser Gly Ser 65 70 75 80

Cys Phe His Cys Gly Leu Arg Ala Gln Ile Gly Glu Gly Arg Lys Arg
85 90 95

- Val Glu Leu Ala Pro Ile Ser Val Met Glu Asp Val Glu Thr Val Glu
  100 105 110
- Gln Val Leu Val Pro Cys Met Val Glu Glu Lys Tyr Tyr Lys Glu Val 115 120 125
- Ser Asn Phe Gln Lys Ala Thr Leu Ile Asp Lys Pro Lys Leu Thr Ile 130 135 140
- Ala Pro Val Leu Met Ala Gln Pro Ala Gln Val Pro Arg Pro Ala Val 145 150 155 160
- Phe Asn Glu Ile Arg Lys Val His Glu Glu Met Lys Ser Gln Thr Ser 165 170 175
- Glu Asn Lys Val Leu Glu Glu Glu Thr Gln Cys Ala Ser Asp Ala Ala 180 185 190
- Leu His His Leu Asp Asp Val His Ala Cys Arg Ala Arg Ala Gln Val 195 200 205
- Gly Ile Glu Arg Ile Leu Ala Arg His Ala Arg His Arg Ile Glu Ala 210 215 220
- Arg Gln Gln Val Glu Glu Gln Ser Glu Ala Leu Ala Ala Phe Glu 225 230 235 240
- Ser Phe Phe Asn Gln Thr His Arg Glu Asp Arg Tyr Glu Gly Lys Val 245 250 255
- Leu Thr Ile Arg Asn Gly Ile Thr Gly Trp Phe Glu Pro Asn Arg Asn 260 265 270
- Asp Ile Lys Asn Ala Ala Arg Arg Lys Arg Ala Asn Lys Lys Ile 275 280 285

- Pro Phe Val Ala Arg Glu Asn Asp Val Ala Arg Ile Glu Thr His Glu 290 295 300
- Pro Asn Val Lys Glu Glu Thr Lys Asp Val Glu Glu Ala Thr Asp Thr 305 310 315 320
- Tyr Thr Phe Lys Lys Gln Arg Asn Asp Lys Lys Arg Val Leu Lys Glu
  325 330 335
- Asn Val Ser Leu Ser Met Ala Arg Ile Asn Glu Leu Val Arg Cys Val 340 345 350
- Thr Lys Leu Cys Arg Lys Asp Ser Lys Glu Leu Glu Phè Ile Gly Lys 355 360 365
- Arg Gly Ser Leu Arg Val Gln Cys Thr Lys Asn Cys Gly Ser Arg Val 370 375 380
- Ile Leu Arg His Leu Arg Gly Glu Leu Arg Arg Lys Asp Cys Tyr Trp 385 390 395 400
- Asp Arg Ile Ile Glu Asn Phe Phe Glu Ile Ala Ala Lys Leu Gln
  405 410 415
- Asn Lys Asn Leu Asn Asn Glu Ser Val Arg Arg Gly His Ser Gly
  420 425 430
- His Ile Ile Gln Tyr Asp Lys Phe Arg Gly Leu Ser Gly Arg His Phe
  435 440 445
- Gly Ser Tyr Ile Ile Val Arg Gly Ser Met Asp Gly Arg Ile Ile Asp 450 455 460
- Ala Arg Ser Lys Ile Thr His Ser Val Met Ile Asn Met Thr His Tyr 465 470 475 480

- Ser Asp Ala Gly Leu Ser Phe Trp Lys Gly Phe Asp Arg Gln Phe Ile 485 490 495
- Asp Ile Arg Asp Arg Pro Lys Asn Ala His Glu Cys Lys Ala Thr Ile 500 505 510
- Asn Val Glu Glu Cys Gly Glu Met Ala Ala Ile Val Asn Gln Leu Leu 515 520 525
- Phe Pro Met Trp Lys Ile Thr Cys Thr Gln Cys Gly Glu Leu Leu Glu 530 535 540
- Met Leu Ser Gln Glu Glu Leu Glu Ser Phe Arg Arg Lys Arg Ser 545 550 555 560
- Gln Leu Ala Ser Lys Leu Ser Ser Leu His Ile Lys Phe Pro Tyr Val 565 570 575
- Asp His Phe Leu Asn Arg Tyr Glu Asn Ser Leu Asn Arg Met Asn Thr 580 585 590
- Asn Phe Asp Ala His Lys Gln Ile Ala Gln Ile Ile Gly Ser Arg Lys
  595 600 605
- Glu Ile Pro Phe Ser Asn Leu Glu His Leu Asn Glu Leu Leu Ile Lys 610 615 620
- Ser Asp Lys Leu Val Ser Glu Asp Phe Tyr Glu Met Ser Gln Cys Leu 625 630 635 640
- Leu Glu Leu Thr Arg Trp His Lys Asn Arg Ser Asp Ser Phe Lys Lys
  645 650 655
- Gly Glu Ile His His Phe Arg Asn Lys Met Ser Gly Lys Ala Gln Phe 660 665 670

- Asn Phe Ala Leu Met Cys Asp Asn Gln Leu Asp Lys Asn Gly Asn Phe 675 680 685
- Val Trp Gly Glu Arg Gly Tyr His Ala Lys Arg Phe Phe Leu Asn Phe 690 695 700
- Phe Glu Lys Val Asp Ser Thr Asp Gly Tyr Lys Lys His Ile Met Arg
  705 710 715 720
- Val Asn Pro Asn Gly Thr Arg Gln Thr Ala Ile Gly Lys Leu Ile Leu
  725 730 735
- Ser Thr Asp Pro Ser Thr Leu Arg Gln Gln Met Lys Gly Ser Pro Ile 740 745 750
- Thr Arg Val Pro Val Gly Lys Tyr Cys Thr Ser Lys Arg Asp Gly Cys
  755 760 765
- Tyr Val Tyr Pro Ala Cys Cys Val Thr Met Glu Asp Gly Thr Pro Leu
  770 780
- Phe Ser Asp Ile Lys Met Pro Thr Lys Asn His Leu Val Ile Gly Asn 785 790 795 800
- Ser Gly Asp Pro Lys Tyr Val Asp Val Pro Ser Ser Ser Ser Asp Met 805 810. 815
- Ile Val Ala Lys Glu Gly Tyr Cys Tyr Leu Asn Ile Phe Leu Ala Met 820 825 830
- Leu Leu Asn Val Asn Glu Ser Glu Ser Lys Ser Phe Thr Lys Lys Val 835 840 845
- Arg Asp Ile Ile Val Pro Arg Leu Gly Gln Trp Pro Ser Leu Ile Asp 850 855 860

- Val Ala Thr Glu Cys Tyr Phe Leu Ser Ala Phe His Pro Glu Thr Lys 865 870 875 880
- Asn Ala Glu Leu Pro Arg Ile Leu Val Asp His Thr Ser Lys Cys Met 885 890 895
- His Val Ile Asp Ser Tyr Gly Ser Leu Asp Thr Gln Phe His Val Leu 900 905 910
- Lys Ala Asn Thr Val Ser Gln Leu Ile Lys Phe Ala Asp Asn Asp Leu 915 920 925
- Asp Ser Glu Leu Lys His Tyr Leu Val Gly Gly Asp Leu His Ser Lys 930 935 940
- Gln Ala Pro Gln Cys Ser Ile Lys Leu Leu Cys Lys Cys Ile Tyr Arg 945 950 955 960
- Pro Lys Leu Met Arg Gln Cys Ile Glu Glu Glu Pro Phe Leu Leu Ile 965 970 975
- Leu Ala Cys Ile Ser Pro Gly Val Leu Leu Ala Leu Tyr Asn Ser Gln 980 985 990
- His Leu Glu Leu Ala Leu Lys Tyr Trp Met Ser Lys Gln Gln Ser Val 995 1000 1005
- Ala Ala Leu Phe Ala Met Ile His Gly Leu Ala Ala Lys Val Thr Val 1010 1015 1020
- Ala Gln Thr Leu Asn Glu Gln Arg Leu Ile Leu Glu Arg Gly Ala Arg
  025 1030 1035 1040
- Asn Leu Ile Ser Val Met Glu Thr Ile His Met Thr Ser His Ser Tyr 1045 1050 1055

- Gln Pro Ala Leu Leu Gln Leu Gln Val Met Ala Asn Arg Arg Asp Met
  1060 1065 1070
- Asn Ser Thr Leu Asp Leu Ala Gly Phe Ser Ile Leu Gln Ser Glu Asp 1075 1080 1085
- Ser Met Tyr Trp Met Glu Lys Ser Tyr Leu Met Glu Leu Glu Asp Ser 1090 1095 1100
- Trp Asn Asp Leu Lys Trp Leu Glu Lys Leu Gln Glu Met Trp Arg Leu 105 1110 1115 1120
- Ser Lys Tyr Ser Ile Ser Gly Ile Ser Gln Leu Ser Met Lys Gly Ala 1125 1130 1135
- Thr Asp Leu Gly Gly Arg Tyr Ser Val Ser Ala Lys Gln Phe Ile Thr 1140 1145 1150
- Ser Val Met Lys Pro Val Lys Lys Ser Cys Val Lys Ala Arg Asp Thr 1155 1160 1165
- Cys Lys Glu Val Ile Ile Asn Thr Thr Ser Trp Thr Phe Arg Ala Thr 1170 1175 1180
- Phe Ser Leu Cys Arg Trp Cys Leu Pro Asp Cys Leu Lys Phe Ile Asn 185 1190 1195 1200
- Met Leu Ile Val Ile Ser Leu Ile Leu Ser Ile Trp His Ser Ala Asn 1205 1210 1215
- Ser Ile Ser Phe Asp Tyr Ala Gln Met Lys Arg Glu Lys Gln Val Asn 1220 1225 1230
- Ile Glu Lys Val Leu Met Asn Asn Leu Val Ala Leu His Lys Glu Gln
  1235 1240 1245

- Ile Lys Ile Asn Pro Asp Leu Thr Lys Glu Glu Phe Lys Glu Tyr Ile 1250 1255 1260
- Ala Arg Ser Arg Pro Glu Leu Ile Ala Leu Val Asn Lys Glu Leu Gln 265 1270 1275 1280
- Glu Glu Val Asp His Gln Ala Lys Arg Lys Gly Glu Gln Asn Leu Glu 1285 1290 1295
- Lys Ile Ile Ala Phe Val Ala Leu Val Met Met Ile Phe Asp Ser Glu 1300 1305 1310
- Lys Ser Asp Cys Val Tyr Lys Thr Leu Asn Lys Leu Arg Asn Leu Val 1315 1320 1325
- Ala Thr Cys Asp Glu Pro Val Ala His Gln Ser Leu Asp Asp Ile Gln 1330 1335 1340
- Asp Ile Leu Thr Asp Lys Glu Thr Thr Ile Asp Phe Asp Leu Asp Cys 1350 1350 1360
- Glu Gly Ser Lys Val Thr Glu Phe Lys Glu Met Asn Phe Ala Ala Trp 1365 1370 1375
- Trp Glu Lys Gln Leu Gln Cys Asp Arg Val Val Pro His Tyr Arg Thr 1380 1385 1390
- Thr Gly Lys Phe Ile Glu Phe Thr Arg Glu Ser Cys Val Ser Val Ser 1395 1400 1405
- Asn Thr Ile Ser His Ala Pro Glu Lys Glu Trp Ile Val Arg Gly Gly 1410 1415 1420
- Val Gly Ser Gly Lys Ser Thr Gly Leu Pro Phe Ala Leu Ser Ser Lys 425 1430 1435 1440

- Gly Ala Val Leu Met Leu Glu Pro Thr Arg Pro Leu Ala Glu Asn Val 1445 1450 1455
- Ser Arg Gln Leu Arg Gln His Pro Phe Tyr Ala Asn Pro Thr Leu Arg 1460 1465 1470
- Met Arg Gly Met Ser Ser Phe Gly Ser Ser Asn Ile Cys Ile Met Thr 1475 1480 1485
- Ser Gly Phe Ala Phe Asn Tyr Phe Ala Asn Asn Pro Leu Lys Leu Ser 1490 1495 1500
- Asp Phe Glu Phe Val Ile Ile Asp Glu Cys His Val Leu Asp Ser Asn 505 1510 1515 1520
- Ala Met Ala Phe Val Cys Leu Leu Lys Glu His Asn Tyr Asp Gly Lys 1525 1530 1535
- Leu Leu Lys Val Ser Ala Thr Pro Gln Gly Arg Glu Cys Glu Phe His

  1540 1545 1550
- Thr Gln His Pro Val Ser Ile His Ile Glu Glu Gln Leu Ser Phe Gln
  1555 1560 1565
- Ala Phe Cys Glu Ala Gln Gly Thr Gly Ser Ala Arg Asp Val Ile Asn 1570 1580
- Lys Gly Asp Asn Ile Leu Val Tyr Val Ala Ser Tyr Asn Glu Val Asp 585 1590 1595 1600
- Gln Leu Ser Lys Met Leu Gly Asp Lys Gly Tyr Leu Val Thr Lys Val 1605 1610 1615
- Asp Gly Arg Thr Met Lys Ile Gly Ser Thr Asp Ile Val Thr Lys Gly
  1620 1625 1630

- Ser Ser Gln Lys Lys His Phe Ile Val Ala Thr Asn Ile Ile Glu Asn 1635 1640 1645
- Gly Val Thr Leu Asp Val Asp Val Val Asp Phe Gly Leu Lys Val
  1650 1655 1660
- Thr Ala Glu Ile Asp Tyr Asp Asn Arg Cys Val Asn Tyr Thr Lys Thr 665 1670 1680
- Ser Ile Ser Tyr Gly Glu Arg Ile Gln Arg Leu Gly Arg Val Gly Arg 1685 1690 1695
- His Lys Lys Gly His Ala Met Arg Ile Gly Thr Thr Ile Lys Gly Leu 1700 1705 1710
- Ile Glu Ile Pro Ser Leu Val Ala Thr Gln Ala Ala Phe Gln Cys Phe 1715 1720 1725
- Thr Tyr Gly Leu Pro Val Met Thr Gln Gly Val Ser Val Asn Ser Leu 1730 1735 1740
- Ser Asn Cys Thr Val Arg Gln Ala Arg Val Met Ser Arg Phe Glu Leu 745 1750 1760
- Pro Pro Tyr Phe Met Ala Ser Leu Val Tyr His Asp Gly Ser Met His 1765 1770 1775
- Pro Glu Ile His Lys His Leu Ile Pro Tyr Lys Leu Asp Glu Ser Glu 1780 1785 1790
- Ile Gln Leu Ser Ala Met Ala Phe Asn Phe Thr Val Thr Ser Ile Trp
  1795 1800 1805
- Leu Asp Cys Lys Phe Tyr Asp Ser Ile Gly Ile His Leu Asp Leu Pro 1810 1815 1820

- Arg Glu Ala Lys Ile Pro Phe His Cys Arg Glu Phe Pro Asp Met Lys 1835 1840
- Tyr Arg His Leu Trp Glu Asp Ile Leu Lys Ile Lys Ser Ile Asn Cys 1845 1850 1855
- Phe Gly Arg Met Ser Val Val Ser Ala Thr Lys Val Ala Tyr Thr Leu 1860 1865 1870
- Lys Thr Asp Ile His Ser Ile Gly Lys Thr Leu Gly Tyr Ile Asp Ala 1875 1880 1885
- Leu Leu Gln Glu Glu Tyr Arg Lys Gln His His Phe Lys Ala Met Thr
  1890 1895 1900
- Ser Asn Ala Cys Ser Gly Asn Thr Phe Ser Met Leu Ser Ile Ala Asn 905 1910 1915 1920
- Ala Ile Arg Asn His Tyr Ala Lys Asp Tyr Thr Ala Gly Asn Ile Gln
  1925 1930 1935
- Lys Leu Gln Ala Ala Lys Asn Gln Ile Leu Glu Phe Val Asn Leu Asn 1940 1945 1950
- Leu Asp Pro Ser Ala Lys Cys Gly Phe Gln Glu Phe Gly Ala Leu Glu
  1955 1960 1965
- Leu Val Thr His Gln Ser Arg Gln Glu Ile Ser Lys Phe Leu Asn Leu 1970 1975 1980
- Arg Gly Lys Trp Asn Lys Ser Leu Ile Thr Arg Asp Ile Leu Val Leu 985 1990 1995 2000
- Leu Gly Val Thr Ile Gly Gly Phe Trp Met Ile Trp Asp Lys Phe Lys
  2005 2010 2015

- Ser Asn Ile Glu Glu Val His His Glu Gly Lys Arg Lys Thr Gln Lys 2020 2025 2030
- Leu Lys Phe Arg Asp Ala Arg Asp Lys Lys Met Gly Arg Glu Val Tyr 2035 2040 2045
- Gly Asp Asp Gly Thr Ile Glu His Tyr Phe Gly Ser Ala Tyr Val Lys 2050 2055 2060
- Arg Gly Ala Val Lys Gly Gln Lys Arg Gly Met Gly Glu Lys Ser Arg 065 2070 2075 2080
- Arg Phe Val Ser Met Tyr Gly Val Asn Leu Glu Asp Phe Ala Phe Ile 2085 2090 2095
- Arg Tyr Ile Asp Pro Ile Thr Gly Ala Thr Arg Asp Glu Ser Pro Leu 2100 2105 2110
- Thr Asp Val Glu Leu Val Gln Ala His Phe Gly Glu Ile Arg Asp Lys 2115 2120 2125
- Met Leu Asp Glu Gly Leu Ile Asp Arg Gln His Ile Leu Asn Lys Pro 2130 2135 2140
- Gly Leu Thr Ala Tyr Leu Val Lys Asp Gly Val Lys Ser Ile Met Lys 145 2150 2155 2160
- Val Asp Leu Gln Pro His Asn Pro Leu Leu Ile Cys Lys Asn Lys Ala 2165 2170 2175
- Thr Ile Ala Gly Phe Pro Glu Lys Glu Phe Val Leu Arg Gln Thr Asp 2180 2185 2190
- Lys Ala Tyr Glu Val Ser Arg Glu Glu Leu Pro Glu Arg Asn Glu Asp 2195 2200 2205

- Val Ser Phe Glu Gly Ala Ser Ser Val Lys Gly Leu Arg Asp Tyr Asn 2210 2215 2220
- Gly Val Ala Ser Ala Ile Cys Gln Leu Thr Asn Asn Ser Asn Gly Arg
  225 2230 2235 2240
- Ser Thr Thr Tyr Gly Val Gly Phe Gly Ser Tyr Ile Ile Val Asn 2245 2250 2255
- Arg His Leu Phe Lys Glu Asn Asn Gly Asn Leu Leu Ile Lys Ser Thr
  2260 2265 2270
- His Gly Asn Phe Asn Ile Arg Asn Ser Lys Gln Ile Lys Val Val Gly
  2275 2280 2285
- Val Glu Asp Arg Asp Ile Ala Ile Leu Gln Met Pro Lys Asp Phe Pro 2290 2295 2300
- Pro Phe Ala Gln Arg Leu Arg Phe Arg Asn Pro Ile Val Gly Glu Ser 305 2310 2315 2320
- Ile Cys Leu Val Gly Asn Thr Phe Gln Glu Lys Tyr Asn Ala Ser Ile 2325 2330 2335
- Val Ser Glu Thr Ser Lys Thr Phe Pro Arg Val Glu Gly Ser Phe Trp
  2340 2345 2350
- Lys His Trp Ile Asn Thr Thr Glu Gly His Cys Gly Leu Pro Leu Val 2355 2360 2365
- Ser Val Thr Asp Gly Phe Ile Val Gly Ile His Ser Leu Met Ser His 2370 2375 2380
- Lys Tyr Asp His Asn Tyr Phe Ser Asn Phe Asp Asp Ala Phe Glu Gly 385 2390 2395 2400

- Asp Tyr Ile Asn Lys Leu Lys Glu Leu Lys Trp Glu Gln Asn Trp Thr
  2405 2410 2415
- Tyr Asn Val Asn Thr Val Ser Trp Gly Asn Met Lys Leu Gln Asp Ser 2420 2425 2430
- Ala Pro Cys Lys Glu Phe Lys Thr Thr Lys Leu Ile Ser Asp Leu Cys 2435 2440 2445
- Thr Glu Pro Val Cys Ala Gln Ser Ser Asn Gln Val Arg Trp Leu Tyr 2450 2455 2460
- Asn Gln Leu Glu Gly Asn Leu Lys Ala Val Ala Thr Ile Pro Asn Asn 465 2470 2475 2480
- Phe Val Thr Lys His Ile Val Lys Gly Arg Cys Lys Leu Phe Glu Leu 2485 2490 2495
- Tyr Leu Gln Thr Arg Ser Glu Ala Asn Glu Phe Phe Lys Pro Leu Met 2500 2505 2510
- Gly Phe Tyr Gly Lys Ser Gly Leu Asn Lys Glu Ala Tyr Ile Lys Asp 2515 2520 2525
- Leu Phe Lys Tyr Ser Ser Glu Ile Pro Ile Gly Glu Val Asp Thr Glu 2530 2540
- Arg Phe Glu Asp Ala Val Gly Gln Val Ile Glu Ile Met Met Gln Trp 2555 2560
- Asn Phe Arg Glu Cys Lys Tyr Ile Thr Asp Cys Asp Gln Ile Phe Glu 2565 2570 2575
- Ser Leu Asn Met Lys Ala Ala Val Gly Ala Leu Tyr Ser Gly Lys Lys 2580 2585 2590

- Lys Ala Tyr Phe Glu Asn Ser Thr Phe Asp Asp Arg Asn His Leu Leu 2595 2600 2605
- Gln Leu Ser Cys Leu Arg Leu Phe Lys Gly Asp Leu Gly Ile Trp Asn 2610 2615 2620
- Gly Ser Leu Lys Ala Glu Leu Arg Pro Ile Glu Lys Val Glu Ala Asn 625 2630 2635 2640
- Lys Thr Arg Thr Phe Thr Ala Ala Pro Ile Glu Thr Leu Leu Gly Gly 2645 2650 2655
- Lys Val Cys Val Asp Asp Phe Asn Asn Gln Phe Tyr Asp Leu Asn Met 2660 2665 2670
- Lys Cys Pro Trp Thr Val Gly Met Thr Lys Phe Tyr Cys Gly Trp Asn 2675 2680 2685
- Asp Leu Leu Gly Lys Leu Pro Asp Gly Trp Ile Tyr Arg Asp Ala Asp 2690 2695 2700
- Gly Ser Arg Phe Asp Ser Ser Leu Thr Pro Tyr Leu Leu Asn Ala Val 705 2710 2715 2720
- Leu Gly Ile Arg Glu Phe Phe Met Glu Asp Trp Asp Ile Gly Val Gln
  2725 2730 2735
- Met Leu Arg Asn Leu His Thr Glu Ile Ile Tyr Thr Pro Ile Ala Thr 2740 2745 2750
- Pro Asp Gly Thr Val Val Lys Lys Phe Arg Gly Asn Asn Ser Gly Gln 2755 2760 2765
- Pro Ser Thr Val Val Asp Asn Thr Leu Met Val Cys Ile Cys Val Gln 2770 2780

- Tyr Ser Leu Ile Met Asn Ser Val Lys Phe Glu Asn Gln Asp Asp Val
  785 2790 2795 2800
- Cys Arg Tyr Phe Val Asn Gly Asp Asp Leu Leu Leu Ala Ile Asn Pro 2805 2810 2815
- Lys Phe Ile His Ile Leu Asp Ser Phe Lys Val His Phe Ala Asn Leu 2820 2825 2830
- Gly Leu Asp Tyr Asp Phe Ser His Arg Thr Lys Asp Lys Gly Glu Leu 2835 2840 2845
- Trp Phe Met Ser His Lys Gly Val Lys Leu Asn Asp Met Tyr Ile Pro 2850 2855 2860
- Lys Leu Glu Pro Glu Arg Val Val Ser Ile Leu Glu Trp Asp Arg Ser 865 2870 2875 2880
- Val Lys Pro Glu His Arg Leu Glu Ala Ile Cys Ala Ser Met Ile Glu 2885 2890 2895
- Ala Trp Gly Tyr Pro Arg Leu Ile His Glu Ile Arg Lys Phe Tyr Ala 2900 2905 2910
- Trp Val Leu Glu Gln Ala Pro Tyr Asn His Leu Ala Ser Glu Gly Lys 2915 2920 2925
- Ala Pro Tyr Ile Ser Glu Thr Ala Leu Lys Arg Leu Tyr Thr Cys Glu 2930 2935 2940
- Glu Gly Ser Ala Asp Glu Ile Met Ser Tyr Leu Glu Met Cys Ala Ser 945 2950 2955 2960
- Asp Leu Asn Glu Asp Glu Tyr Phe Asp Asp Glu Asp Val Ser His Gln
  2965 2970 2975

- Ser Ala Leu Asp Ala Gly Lys Pro Thr Ala Glu Asn Lys Lys Asp Asp 2980 2985 2990
- Glu Glu Arg Lys Asn Lys Glu Glu Lys Gln Glu Asn Lys Asn Lys Asn 2995 3000 3005
- Lys Glu Val Glu Lys Lys His Glu Lys Thr Ser Asn Ser Ala Ser Gly 3010 3015 3020
- Ala Ile Val Ser Asn Asn Glu Lys Asp Lys Asp Val Asp Val Gly Ser
  025 3030 3035 3040
- Ser Gly Ser Phe Ile Ile Pro Arg Ile Lys Ser Ile Ser Asn Lys Leu 3045 3050 3055
- Thr Met Pro Lys Val Lys Gly Lys Gly Ile Leu Asn Leu Glu Phe Leu 3060 3065 3070
- Leu Gln Tyr Thr Pro Asp Gln Val Asp Ile Ser Asn Thr Arg Ala Ser 3075 3080 3085
- Ile Ser Gln Phe Asn Thr Trp Tyr Asn Ala Val Lys Glu Ser Tyr Gly 3090 3095 3100
- Val Ser Asp Glu Glu Met Gly Ile Ile Leu Asn Gly Leu Met Val Trp 105 3110 3115 3120
- Cys Ile Glu Asn Gly Thr Ser Pro Asn Ile Asn Gly Met Trp Phe Met 3125 3130 3135
- Met Gln Glu Glu Gln Ile Glu Tyr Pro Leu Gln Pro Ile Val Glu 3140 3145 3150
- Asn Ala Lys Pro Thr Leu Arg Gln Ile Met Ala His Phe Ser Asn Val 3155 3160 3165

Ala Glu Ala Tyr Ile Glu Lys Arg Asn Tyr Glu Lys Pro Tyr Met Pro 3170 3175 3180 Arg Tyr Gly Ile Gln Arg Asn Leu Thr Asp Met Ser Leu Ala Arg Tyr 185 3190 3195 3200 Ala Phe Asp Phe Tyr Glu Met Thr Ser Arg Thr Pro Ala Arg Ala Arg 3205 3210 3215 Glu Ala His Ile Gln Met Lys Ala Ala Ala Leu Arg Asp Ala Asn Asn 3220 3225 3230 Lys Met Phe Gly Leu Asp Gly Lys Val Gly Asn Ala Thr Glu Asn Thr 3235 3240 3245 Glu Arg His Thr Ala Asp Asp Val Asn His Asn Thr His Ala Phe Thr 3250 3255 3260 Gly Val Arg Tyr Tyr 265 <210> 3 <211> 729 <212> DNA <213> Papaya Leaf-Distortion Mosaic Virus <220> <221> CDS <222> (1)..(729) <400> 3 gga gcc tca agt gtg aag gga ttg cgc gat tac aat ggt gta gcc agc 48 Gly Ala Ser Ser Val Lys Gly Leu Arg Asp Tyr Asn Gly Val Ala Ser 1 5 10 15

96

gct att tgc caa ctc aca aac tca aat ggt cgg tcc acc aca act

Ala Ile Cys Gln Leu Thr Asn Asn Ser Asn Gly Arg Ser Thr Thr

tat	ggg	gtt	ggc	ttt	ggc	tca	tac	atc	ata	gtt	aat	agg	cac	ttg	ttt	144	
Tyr	Gly	Val	Gly	Phe	Gly	Ser	Tyr	Ile	Ile	Val	Asn	Arg	His	Leu	Phe		
		35				40				45							
aaa	gaa	aat	aat	ggg	aat	tta	ttg	atc	aaa	tcg	acg	cat	gga	aat	ttc	192	
Lys	Glu	Asn	Asn	Gly	Asn	Leu	Leu	·Ile	Lys	Ser	Thr	His	Gly	Asn	Phe		
	50				55				60	)							
aat	atc	agg	aac	tcc	aag	caa	att	aaa	gtc	gtc	gga	gtg	gag	gat	agg	240	
	Ile	Arg	Asn			Gln	Ile	_		Val	Gly	Val	Glu	Asp	Arg		
65				70				7	5			;	80				
ant.	5±±	~~~	5 t t	ot t	<i>a</i> aa	a tia	aat.	222	~~~	+i+i-	222		TT.	~~~	~-~	200	
												ccc Pro		_	_	288	
АЗР	116	AIA	85		GIII	nec		_	лэр	rne	110	95	rne	ліа	GIII		
	85 90 95																
agg	tta	cga	ttt	aga	aat	сса	ata	gťg	ggť	gaa	tca	att	tgt	ctt	gtt	336	
Arg	Leu	Arg	Phe	Arg	Asn	Pro	Ile	Val	Gly	Glu	Ser	Ile	Cys	Leu	Val		
		10	00			1	.05				110						
gga	aat	acg	ttc	caa	gaa	aag	tac	aat	gca	agc	atc	gtt	tct	gag	aca	384	
Gly	Asn	Thr	Phe	Gln	Glu	Lys	Tyr	Asn	Ala	Ser	Ile	Val	Ser	Glu	Thr		
	1	15				120				125	125						
_					_	_	_		_			aaa				432	
		Thr	Phe	Pro		Val	Glu	Gly			Trp	Lys	His	Trp	Ile		
	130 135								140	0							
<del>-</del> -	202		~~~	~~~	+	+ ~+*	~~~	بديدي		44						400	
												agt				480	
	sn Thr Thr Glu Gly His					Cys	GIY			ьеи	Asp						
140	145 150							15	,,,			1	.60				
gga	ttt	atť	gta	gga	ata	cat	agt	tta	ata	agt	cat	aag	tac	gat	cati	528	
							_		-			Lys		_			

165 170 175

aat tat ttc tcg aac ttt gac gac gcg ttt gaa ggc gat tat att aac 576 Asn Tyr Phe Ser Asn Phe Asp Asp Ala Phe Glu Gly Asp Tyr Ile Asn 180 185 190

aag tig aag gaa cig aaa tig gag cag aat tig act tac aac git aat 624 Lys Leu Lys Glu Leu Lys Trp Glu Gln Asn Trp Thr Tyr Asn Val Asn 195 200 205

act gtt agt tgg ggc aac atg aaa ctt cag gat agt gct cca tgc aaa 672
Thr Val Ser Trp Gly Asn Met Lys Leu Gln Asp Ser Ala Pro Cys Lys
210 215 220

gaa ttc aaa aca act aag ttg att agc gac tta tgc acg gaa cct gtg 720 Glu Phe Lys Thr Thr Lys Leu Ile Ser Asp Leu Cys Thr Glu Pro Val 225 230 235 240

tgc gct cag 729
Cys Ala Gln

<210> 4

<211> 243

<212> PRT

<213> Papaya Leaf-Distortion Mosaic Virus

<400> 2

Gly Ala Ser Ser Val Lys Gly Leu Arg Asp Tyr Asn Gly Val Ala Ser

1 10 15

Ala Ile Cys Gln Leu Thr Asn Asn Ser Asn Gly Arg Ser Thr Thr Thr 20 25 30

Tyr Gly Val Gly Phe Gly Ser Tyr Ile Ile Val Asn Arg His Leu Phe 35 40 45

- Lys Glu Asn Asn Gly Asn Leu Leu Ile Lys Ser Thr His Gly Asn Phe
  50 55 60
- Asn Ile Arg Asn Ser Lys Gln Ile Lys Val Val Gly Val Glu Asp Arg
  65 70 75 80
- Asp Ile Ala Ile Leu Gln Met Pro Lys Asp Phe Pro Pro Phe Ala Gln
  85 90 95
- Arg Leu Arg Phe Arg Asn Pro Ile Val Gly Glu Ser Ile Cys Leu Val
  100 105 110
- Gly Asn Thr Phe Gln Glu Lys Tyr Asn Ala Ser Ile Val Ser Glu Thr 115 120 125
- Ser Lys Thr Phe Pro Arg Val Glu Gly Ser Phe Trp Lys His Trp Ile 130 135 140
- Asn Thr Thr Glu Gly His Cys Gly Leu Pro Leu Val Ser Val Thr Asp 145 150 155 160
- Gly Phe Ile Val Gly Ile His Ser Leu Met Ser His Lys Tyr Asp His

  165 170 175
- Asn Tyr Phe Ser Asn Phe Asp Asp Ala Phe Glu Gly Asp Tyr Ile Asn 180 185 190
- Lys Leu Lys Glu Leu Lys Trp Glu Gln Asn Trp Thr Tyr Asn Val Asn 195 200 205
- Thr Val Ser Trp Gly Asn Met Lys Leu Gln Asp Ser Ala Pro Cys Lys 210 215 220
- Glu Phe Lys Thr Thr Lys Leu Ile Ser Asp Leu Cys Thr Glu Pro Val 225 230 235 240

Cys Ala Gln

[Name of Document] ABSTRACT

[Abstract]

[Problems] The purpose of the present invention is to determine the nucleotide sequence of the full-length genomic RNA of papaya leaf-distortion mosaic virus.

[Means for Solution] The full-length genomic RNA of papaya leaf-distortion mosaic virus, a method for diagnosing infection with papaya leaf-distortion mosaic virus using the full-length genomic RNA, a method for producing a papaya leaf-distortion mosaic virus-resistant plant, and a method for producing a foreign protein in a plant body.

[Selected Figure] None